Author index

Abdelatti, O. *see* Mehta, S.
Abdy, S. *see* Prabhu, M.
Adams, A.P. *see* Cormack, R.S.
Adams, M.G. *see* Short, J.A.
Adhikary, G. *see* Dorje, P.
Agarwal, A. *see* Tewari, P.
Agarwal, S. & Stacey, R.; Anson, J. Presentation of 0.167% bupivacaine in 500-ml bags, 404
Aguilera, I.M. & Vaughan, R.S. Calcium and the anaesthetist, 779
Ahmad, K.; Kliempt, P., Ruta, D., Ogston, S., Landeck, A. & Martay, K. Hemispheric-synchronisation for nociceptive control, 95
Ahmad, K.S. Training to be peri-operative physicians, 302
Aida, S. & Okada, K. Low-cost prevention of bacterial contamination during continuous epidermal treatment by a minimal dose of an antibiotic in the epidural solution, 499
Aida, S. *see* Asumang, A.
Akhtar, T.M. *see* Frow, M.W.
Alagesan, K. *see* Carradice, D.
Alamo, O. *see* Mu–oz-Ramón, J.M.
Al-Attiyah, R.J. *see* Helmy, S.A.K.
Albrecht, S., Fechner, J., Geisslinger, G., Maass, A.B., Upadhyaya, B., Moecke, H.-P., Haigh, C. & Schuttler, J. Postoperative pain control following remifentanil-based anaesthesia for major abdominal surgery, 315
Alderson, J.D. Adult spina bifida, 697
Alexander, D. *see* Roddin, M.
Alexander, R. Pressure sore following low-dose epidural infusion, 709
Alexander, R. *see* Chikermane, Y.; Kulkarni, A.; Woods, A.W.
Ali, M. *see* Shaaban, M.
Alijani, A., Hanna, G.B. & Cuschieri, A.; Robertson, A. Use of trans-oesophageal Doppler ultrasound during laparoscopic anterior fundoplication, 821
Al-Khalid, M. Isolated systolic hypertension and anaesthesia, 1224
Allen, S.J., Gallagher, A. & Paxton, L.D. Anaphylaxis to rocuronium, 1223
Altintas, F. *see* Bozkurt, P.
Aly, E.E. & Shilling, R.S. Are we willing to change?, 419
Aly, E.E. *see* Anwari, J.S.
Ambroselli, V. *see* Ceron, A.
Ames, W. How to skin a bearded cat, 619
Anand, L.K. *see* Mitra, S.
Andrzejowski, J. & Mundy, J. Anaesthesia for MRI angiography in a patient with Williams syndrome, 97
Andrzejowski, J., Sleigh, J.W., Johnson, I.A.T. & Sikiotis, L. The effect of intravenous epinephrine on the bispectral index and sedation, 761
Andrzejowski, J. *see* Hutchinson, S.
Anson, J. *see* Agarwal, S.
Anwari, J.S., Jones, R., Volikas, I., Stacey, R.G.W., Male, D., Aly, E.E. & Shilling, R.S. Parenteral narcotic analgesia for labour pain, 1229
Aono, J. & Ueda, W. Syringe labels using an empty drug ampoule, 412
Aoyama, K. *see* Uehara, H.
Appadurai, I.R. & Davies, J.S. Nasendoscopy: a useful addition to the anaesthetist's armamentarium, 599
Appadurai, I.R. *see* Lewis, K.P.
Archer, G.J. *see* Macdonald, J.M.S.
Arora, S. *see* Sinha, P.K.
Arrowsmith, J.E.; Rodig, G. Self reports of postoperative cognitive dysfunction, 94
Arrowsmith, J.E. *see* Paoloni, C.C.E.
Asai, T. & Brimacombe, J. Cuff volume and size selection with the laryngeal mask, 1179
Asai, T. & Shingu, K. Swelling in the hypopharynx as a cause of difficult tracheal intubation, 1218
Asai, T., Johmura, S. & Shingu, K. Failed ventilation due to breakage of tracheal tube connector, 915
Asai, T., Matsumoto, S. & Shingu, K. Incidence of blood-borne infectious micro-organisms: would you still not wear gloves?, 591
Asai, T., Murao, K. & Shingu, K. Efficacy of the laryngeal tube during intermittent positive-pressure ventilation, 1099
Asai, T., Murao, K., Tsutsumi, T. & Shingu, K. Ease of tracheal intubation through the intubating laryngeal mask during manual in-line head and neck stabilisation, 82
Asai, T. *see* Dravid, R.M.; Okuda, Y.
Ashley, E. & Marshall, P. Problems with fashion, 834
Aslam, M. *see* Rajesh, A.
Asumang, A.; Aida, S. & Okada, K. Bacterial contamination during continuous epidural treatment, 934
Atkinson, R.E. *see* Peacock, J.E.
Averiss, R.H.R. *see* Sheeran, P.
Avidan, M.S., Jones, N. & Pozniak, A.L. The implications of HIV for the anaesthetist and the intensivist, 344
Ayorinde, B.T., Hanning, C.D., Wemyss-Holden, S. & Veitch, P.S. Tracheal rupture with a double-lumen tracheal tube, 820
Ayoub, C., Itani, M.M., Lteif, A. & Baraka, A. A modified Guedel airway for continuous oxygenation and suctioning during fibreoptic bronchoscopy, 455
Azadian, B.S. *see* McLure, H.A.
Aziz, E. & Sanders, G.M.; Lassborn, O. Failure of Datex AS/3 anaesthesia delivery unit, 1214

Baenziger, O. *see* Weiss, M.
Baigel, G.D. & Pancholi, S. Change of position relieving upper airway obstruction, 514
Bailie, R. *see* Johnson, R.
Baines, D.B. *see* Davies, J.R.
Baird, W.L.M. & Morgan, M. Substance misuse amongst anaesthetists, 943
Bajekal, R.R., Turner, R. & Yentis, S.M. Anti-infective measures and Entotox® equipment: a survey, 153
Bajwa, S. *see* Harmon, D.
Baldwin, E.S. & Turner, M.A.; Wildsmith, J.A.W. Profound motor blockade with epidural ropivacaine, 91
Bali, I.M. *see* Blair, J.M.
Ball, D.R. & McLeod, S.R. Removal of the laryngeal mouse airway, 102
Ball, D.R. *see* McLeod, S.; McLeod, S.R.; McLeod, S.R.; Palmer, J.H.MacG.; Palmer, J.H.MacG.; Palmer, J.H.MacG.
Ball, D.R., Palmer, J.H.Mac G. & McLeod, S.R. A call for unity, 728
Ball, D.R., Williams, D. & Jefferson, P. Cricothyroidotomy comments, 1217

© 2000 Blackwell Science Ltd

Banerjee, D. & O'Dea, J. Anaesthetists will continue to play a major role in the management of UK intensive care, 302
Bannister, M. & Stacey, M.R.W. Faulty intravenous cannulae, 937
Baraka, A. *see* Ayoub, C.
Baraka, A., Lteif, A., Nawfal, M., Taha, S., Maroun, M., Khoury, S. & Jalbout, M. Ambient pressure oxygenation via the nonventilated lung during video-assisted thoracoscopy, 602
Baranowski, A.P. *see* Cooper, J.A.
Barker, G. *see* O'Hare, D.
Barker, G.L. *see* Williams, K.A.
Barker, J.M. *see* Jones, G.N.
Barker, L. Glycinothorax revisited, 706
Barker, S.G.E. *see* Cooper, J.A.
Barkshire, K.F. *see* Yull, D.N.
Barnardo, P.D. & Jenkins, J.G. Failed tracheal intubation in obstetrics: a 6-year review in a UK region, 690
Barnes, D.G. *see* Kapoor, V.
Barnes, P.K., Emerson, P.A., Hajnal, S., Radford, W.J.P. & Congleton, J. Influence of an anaesthetist on nurse-led, computer-based, pre-operative assessment, 576
Barr, C.A. *see* Short, J.A.
Barrington Blackman, S. & Sewell, A. National Anaesthesia Day – who cares?, 936
Barry, J. *see* Brimacombe, J.
Bazo, A. *see* Kapoor, V.
Beamer, J. & French, G.W.G. A simple method for testing for the kinking epidural catheter, 1233
Beavis, S. *see* Wasson, C.
Bedi, A., Gallagher, A., Fee, J.P.H. & Murray, J.M. Postoperative nausea and vomiting following 8% sevoflurane anaesthesia, 594
Behnke, H. *see* Wulf, H.
Bell, G.T. & Ralph, J.K. Drawbacks of pushovers, 1000
Bell, J. *see* Brownlow, H.
Bell, J.C. *see* Brownlow, H.A.
Bell, M.D.D., Cope, T. & Harrison, J. The use of hyperbaric oxygen in the management of severe anaemia in a Jehovah's Witness, 293
Bembridge, M. *see* Fairbrass, M.J.
Benbough, J.E. *see* Wilkes, A.R.
Benhamou, D. *see* Motamed, C.
Benumof, J.L. *see* Hartmann, T.
Berciano, J. Cerebrospinal fluid filtration for treating Guillain-Barré syndrome: is there any pathological background?, 408
Bergin, F.G. *see* Low, J.; Mallinder, P.A.
Berman, J. *see* Turner, A.
Berry, C.B., Crome, I.B., Plant, M. & Plant, M. Substance misuse amongst anaesthetists in the UK and Ireland. The results of a study commissioned by the Association of Anaesthetists of Great Britain and Ireland, 946
Bertollo, D. *see* Ceron, A.
Bex, S. *see* Watkins, J.
Bhadani, U. *see* Pande, R.
Bhattacharya, A. *see* Brunner, M.; Kumar, A.; Pande, R.; Thomson, N.
Bickford-Smith, P.J. Connector design for oxygen therapy tubing, 188
Bickford Smith, P.J. Reducing the potential risk of cross-infection from Entonox equipment, 818
Bird, H. & Brim, V.; Das, R. Propofol and postoperative pancreatitis, 506
Birks, R.J.S. *see* Hutchinson, S.
Biro, P., Weiss, M., Gerber, A. & Pasch, T. Comparison of a new video-optical intubation stylet versus the conventional malleable stylet in simulated difficult tracheal intubation, 886
Bissonnette, B. *see* Paut, O.
Blackmore, M. & Carroll, S. The Do Attempt Resuscitation doctor, 911
Blackmore, M. *see* Carroll, S.
Blair, J.M. & Hill, D.A. Probable seizure after remifentanil in a 4-year-old boy, 501
Blair, J.M., Hill, D.A., Bali, I.M. & Fee, J.P.H. Tracheal intubating conditions after induction with sevoflurane 8% in children. A comparison with two intravenous techniques, 774
Blanié, P. Speed of onset of analgesia in labour and maternal satisfaction: comparison of epidural and combined spinal-epidural, 716
Blinco, A. *see* Brimacombe, J.
Blunt, M.C. *see* Leary, T.S.
Board, P.N. An unusual case of hypertension, 196
Bode Jr, R.H. *see* Lewis, K.P.
Bodenham, A. *see* Hughes, P.
Bodra, R. *see* Pattnaik, S.K.
Boldt, J. *see* Piper, S.N.
Boldt, J. *see* Wasson, C.
Bolton, D.T. Hyperkalaemia, donor blood and cardiac arrest associated with ECMO priming, 825
Bone, I. & Rosen, M. Alzheimer's disease and anaesthesia, 592
Bonhomme, V. *see* Hans, P.
Bonner, S. & Taylor, M. Airway obstruction in head and neck surgery, 290
Booth, M.G. *see* Levy, D.M.
Born, J.D. *see* Hans, P.
Bosch, O. *see* Thomas, D.I.
Bouaziz, H. *see* Motamed, C.
Boulton, T.B. *see* Brett, I.
Bousoula, M. *see* Georgiou, L.
Bowen, M. *see* Ryan, M.
Bozkurt, P. *see* Dalgleish, D.
Bozkurt, P., Kaya, G., Altintas, F., Yeker, Y., Hacibekiroglu, M., Emir, H., Sarimurat, N., Tekant, G. & Erdogan, E. Systemic stress response during operations for acute abdominal pain performed via laparoscopy or laparotomy in children, 5
Brady, S. *see* Morton, T.
Bree, S.E. *see* Dorje, P.
Breslin, D.; Rowsell, R. Failure of a 'Diprivan 1%' prefilled propofol syringe, 1030
Breslin, D. *see* Hayes, A.
Breslin, D., Reid, J., Hayes, A. & Mirakhur, R.K. Anaesthesia in myotubular (centronuclear) myopathy, 471
Brett, I. & Wraith, A.; Boulton, T.B. Forgotten already?, 593
Brichant, J.F. *see* Hans, P.
Brim, V. *see* Bird, H.
Brimacombe, J. *see* Asai, T.; Kihara, S.
Brimacombe, J., Holyoake, L., Keller, C., Barry, J., Mecklem, D., Blinco, A. & Weidmann, K. Emergence characteristics and postoperative laryngopharyngeal morbidity with the laryngeal mask airway: a comparison of high versus low initial cuff volume, 338
Broadbent, C.R. & Evans, E. Pyrexial patients are not always ill, 708
Broadbent, C.R., Maxwell, W.B., Ferrie, R., Wilson, D.J., Gawne-Cain, M. & Russell, R. Ability of anaesthetists to identify a marked lumbar interspace., 1122
Brock, H., Rieger, R., Gabriel, C., Polz, W., Moosbauer, W. & Necek, S. Haemodynamic changes during thoracoscopic surgery. The effects of one-lung ventilation compared with carbon dioxide insufflation, 10
Brodrick, P.M. A cautionary tale, 200

© 2000 Blackwell Science Ltd

Bromley, L.M. *see* Cooper, J.A.
Brookes, A. & Moriarty, A. Pharyngeal abscess presenting with upper airway obstruction and atlanto-axial subluxation in a small infant, 469
Brooks, H., Christian, A.S. & May, A.E. Pregnancy, anaesthesia and Guillain Barré syndrome, 894
Brosnan, S.G. *see* Young, D.A.
Brown, J.R.; Wright, D. The ECG pad lottery – it could be you!, 511
Brown, T.C.K. *see* Nolan, J.
Browne, G. *see* Sheeran, P.
Brownlow, H. & Bell, J. Unusual pulse oximetry waveform, 1216
Brownlow, H.; Cooper, J.A. Evaluation of a needle-free injection system for local anaesthesia prior to venous cannulation, 725
Brownlow, H.A. & Bell, J.C. Abnormal capnograph trace, 832
Brownlow, H.A. Always have a contingency plan, 510
Brunner, M.; Inada, T. & Shingu, K. Electroencephalographic arousal response during tracheal intubation and laryngeal mask airway insertion after induction of anaesthesia with propofol, 604
Brunner, M. & Vaughan, D.; Bhattacharya, A., Makhija, N. & Kumar, A. Evoked potential monitoring in anaesthesia and analgesia, 823
Brunner, M.D. *see* Vaughan, D.J.A.
Buckland, R.W. & Pedley, J. Lingual thyroid – a threat to the airway, 1103
Bucx, M.J.L. Right- or left-handed laryngoscopy?, 395
Bullock, M.F.M. *see* Kluger, M.T.
Burchett, K.R. *see* Milner, Q.J.W.
Butt, W. *see* Palit, T.
Byhahn, C. *see* Milligan, K.R.
Byhahn, C., Lischke, V. & Westphal, K. Translaryngeal tracheostomy in highly unstable patients, 678
Bythell, V. *see* Gomez-Bordas, L.A.

Cadamy, A.J. *see* Levy, D.M.
Calder, I. *see* Potter, F.A.
Calow, C.E. Preparation of anaesthetic drugs in the obstetric theatre, 1226
Camann, W. *see* Tsen, L.C.
Camboulives, J. *see* Paut, O.
Campbell, A. *see* King, R.
Camu, F. *see* Umbrain, V.
Cantais, E. *see* Escarment, J.
Caranza, R., Nandwani, N., Tring, J.P., Thompson, J.P. & Smith, G. Upper airway reflex sensitivity following general anaesthesia for day-case surgery, 367
Cárcamo, C.R. *see* Urtubia, R.M.
Cardosa, M.S. *see* Wang, C.Y.
Carli, F. *see* Cormack, R.S.
Carnegie, C. *see* Chikungwa, M.T.
Carney, C. *see* Sacks, M.D.
Carnie, J. *see* Prakash, N.
Carr, A.S. *see* Courtman, S.P.; Rousseau, G.F.
Carradice, D., Alagesan, K. & Moppett, I.; Knowles, J. An unusual case of 'gastro-oesophageal reflux', 1134
Carrie, L.E.S. & Russell, R. Fixation of epidural catheters, 1231
Carroll, C.D.C. & Hartley, L.A. The role of lateral table tilt in obstetric anaesthesia, 721
Carroll, S. & Blackmore, M. Inadequate training? Perhaps not!, 406
Carroll, S. *see* Blackmore, M.
Cartwright, D.P. *see* Taylor, I.R.
Carvalho, B. *see* Horsey, P.J.
Cassidy, B. & McCoy, D.G.L. The sweet smell of success, 823
Cattell, E., Saravanan, P., Chay, S. & Lawler, P.G. The defibrillator back paddle: use for treatment of arrhythmias during prone position ventilation, 491
Ceron, A., Ambroselli, V., Zannoni, C. & Bertollo, D. Unexpected difficult intubation caused by the subglottic ring, 595
Chabria, R. *see* Kumar, C.M.
Chadha, R. & Mehta, S.P. Unusual airway obstruction leading to contralateral pneumothorax following pneumonectomy, 705
Chadwick, I.S. & Foex, B.A. Anaesthetic training for trainees in accident and emergency medicine, 301
Chalkiadis, G.A. *see* Nolan, J.
Chambers, W.A. *see* Kumar, N.
Chambers, W.A., Ferguson, K. & Prescott, G.J. Continuing medical education by anaesthetists in Scotland: activities, motivation and barriers, 1192
Chamley, D. *see* Tye, J.C.
Chandler, J. & Poulton, B. Tec 6 vaporiser raises the temperature, 1031
Chari, P. *see* Dutta, A.; Podder, S.
Chatterji, C. *see* Lawrence, R.A.
Chay, S. *see* Cattell, E.
Cheam, E.W.S. & Chui, P.T. Randomised double-blind comparison of fentanyl, mivacurium or placebo to facilitate laryngeal mask airway insertion, 323
Checketts, M.R. *see* Purdie, N.L.
Chelliah, S. & Verghese, C. VEID, 195
Chemaly, L. *see* Estebe, J.-P.
Cherian, V.T. *see* Singh, M.
Chikermane, Y. & Alexander, R. A complication with the use of metaraminol in obstetric anaesthesia, 830
Chikungwa, M.T. Popular hair style – an anaesthetic nightmare, 305
Chikungwa, M.T.; Carnegie, C. Are we causing latex sensitisation unknowingly?, 828
Chilvers, R.I. *see* Wilkes, A.R.
Chilvers, R.J. & Weisz, M. Entonox equipment as a potential source of cross-infection, 176
Chimbira, W. & Sweeney, B.P. The effect of smoking on postoperative nausea and vomiting, 540
Chimbra, W. *see* Thomas, R.
Chitkara, N., Raghavan, V., Muralitharan, V. & Waddell, T. Anaesthetic room pollution: the dangers of prevention, 726
Chong, J.L. *see* Shah, M.K.; Wong, K.
Christian, A.S. *see* Brooks, H.
Chui, P.T. *see* Cheam, E.W.S.
Chung, D.C. *see* Morley, A.P.
Chung, F. *see* Wong, S.F.
Clancy, M. *see* Morton, T.
Clark, R. & Monaghan, S.D. Generic propofol: what's the point?, 1042
Clark, V. *see* Krosnar, S.
Clarke, R.C.N. *see* Ntoumenopoulos, G.
Clayton, T. & Vanner, R. Extending the life of the laryngeal mask airway, 512
Coghill, J.C. *see* Dashfield, A.K.
Cohen, J. *see* Macartney, N.J.D.
Cohen, S. & Morlend, R. Suturing epidural catheters, 1233
Coker, N. & Higgins, D.J. Tranexamic acid applied topically to achieve homeostasis, 600
Coleman, N.A. *see* Kluger, M.T.
Collier, C. Epidural anaesthesia and foot-drop, 194
Comara, S. The 'DNAR' order, 293
Combs, A.H. *see* Hegarty, M.
Congleton, J. *see* Barnes, P.K.

© 2000 Blackwell Science Ltd

Cook, L.B. *see* Puddy, B.R.
Cook, T.M. Combined spinal–epidural techniques, 42
Cook, T.M. A new practical classification of laryngeal view, 274
Cook, T.M. Classification of laryngoscopic view, 1029
Cook, T.M. *see* Hallett, A.
Cook, T.M., Godfrey, I., Rockett, M. & Vanner, R.G. Cricoid pressure: which hand?, 648
Cooke, R. *see* Gupta, S.
Cooney, A. & Mehta, N. Chemoprophylaxis for meningococcal disease in healthcare workers, 590
Cooper, G.M. *see* Khor, L.J.H.
Cooper, J.A. *see* Brownlow, H.
Cooper, J.A., Bromley, L.M., Baranowski, A.P. & Barker, S.G.E. Evaluation of a needle-free injection system for local anaesthesia prior to venous cannulation, 247
Cope, T. *see* Bell, M.D.D.
Cormack, R.S., Lehane, J.R., Adams, A.P. & Carli, F. Laryngoscopy grades and percentage glottic opening, 184
Cornes, J. *see* Walburn, M.B.
Cort, J. & Parsloe, M. Simple remifentanil infusions, 90
Cortinez F, L.I. Refractory hypotension during carcinoid resection surgery, 505
Cosgrove, J.F. Anaesthetic pre-assessment clinics, 405
Cosgrove, J.F. Pre-anaesthesia assessment clinics. Beauty in the eye of the beholder?, 1128
Cosgrove, J.F. Speaking in tongues'. Fixation on a non-native language at induction of anaesthesia, 728
Courtman, S.P. & Carr, A.S. Epidurals – isn't one enough?, 500
Coussi, T. *see* Kostopanagiotou, G.
Cowie, D. *see* Peyton, P.
Cozanitis, D.A., Tomlinson, S. & Dearlove, O. Ear pain and central venous catheters, 196
Craig, A., Rawlings, E. & Morphett, S. Latex allergy – further comment, 98
Craig, S. *see* Hutchinson, C.
Craske, D.A., Mallick, A. & Nandakumar, C.G.; Schmid, P. Bronchoscopic confirmation of the correct placement of the tracheostomy tube during translaryngeal tracheostomy, 1035
Crome, I.B. *see* Berry, C.B.
Cros, A.M., Lopez, C., Kandel, T. & Sztark, F. Determination of sevoflurane alveolar concentration for tracheal intubation with reminfentanil, and no muscle relaxant, 965
Cross, J. Airway management – a current training problem?, 515
Cunnington, P. & Mongia, S. Pharyngeal abscess in a small infant presenting as upper airway obstruction and atlanto-axial subluxation, 927
Cupitt, J.M. & Dunkley, C. Preparation of anaesthetic drugs in obstetric theatre, 721
Cupitt, J.M. & Raghavendra, L.P. Blood transfusion for Caesarean section, 614
Cupitt, J.M. Microbial contamination of gum elastic bougies, 466
Cupitt, J.M. Not all that wheezes is asthma, 1218
Cupitt, J.M. *see* Panagiotakopoulos, D.
Cupitt, J.M. Who wants to be a millionaire?, 729
Cuschieri, A. *see* Alijani, A.
Cuthbertson, B.H. *see* Engelhardt, T.

D'Haese, J. *see* Umbrain, V.
Da Fonseca, J.M.G., Wheeler, D.W. & Pook, J.A.R. The effect of a heat and mositure exchanger on gas flow in a Mapleson F breathing system during inhalational induction, 571
da Silva, E.J. Keep epidurals simple, 1041
Dalgleish, D.; Bozkurt, P. The stress response in children during laparoscopic abdominal surgery, 611
Dalgleish, D.J. Drugs which cause pain on intravenous injection, 828
Dana, E. & Lawton, G. Protecting pacemakers in prone patients, 1043
Dancey, F.M.L. *see* Roddin, M.J.
Das, R. *see* Bird, H.
Das, S. & Morrison, Y. Preformed laryngeal masks, 701
Dashfield, A.; Smith, I. & Thwaites, A.J. Postoperative nausea and vomiting following 8% sevoflurane anaesthesia, 190
Dashfield, A.K., Coghill, J.C. & Langton, J.A. Correlating obstetric epidural anaesthesia performance and psychomotor aptitude, 744
Davies, J.R.; Baines, D.B. Pre-anaesthesia assessment clinics, 812
Davies, J.R. Hyperkalaemia and rapid blood transfusion, 928
Davies, J.S. *see* Appadurai, I.R.
Davies, M. *see* Donnelly, T.
Davies, P. & Pandit, J.J. A novel method of delivering vasoconstrictors to the nasal passage, 1030
Davies, P.R.F. *see* Streets, C.A.
Davies, R. Difficult tracheal intubation secondary to a tracheal diverticulum and a 90 degree deviation in the trachea, 923
Dawson, H. *see* Ntoumenopoulos, G.
Day, C.J.E. *see* Parker, M.R.J.
de Lima, J., Hatch, D. & Torsney, C. Nitrous oxide analgesia – a 'sting in the tail', 932
de Mello, W. *see* Vipond, A.
De Weert, K., Traskel, M., Gielen, M., Slappendel, R., Weber, E. & Dirksen, R. The incidence of transient neurological symptoms after spinal anaesthesia with lidocaine compared to prilocaine, 1020
Deakin, C. *see* Wilkes, A.R.
Deakin, C.D., Diprose, P., Majumdar, R. & Pulletz, M. An investigation into the quantity of secretions removed by inflated and deflated laryngeal mask airways, 478
Dearlove, O. *see* Cozanitis, D.A.
Debing, E. *see* Umbrain, V.
Deby-Dupont, G. *see* Mathy-Hartert, M.
Delefosse, D. *see* Samain, E.
Dell, R.G. Upper airway obstruction secondary to a lingual tonsil, 393
Derrick, J. *see* Morley, A.
Devine, A. & Romer, H. The importance of confirming the length of a Tuohy needle, 304
Dewandre, P.Y. *see* Hans, P.
Dexter, T. *see* Yull, D.N.; Mathews, J.
Dhara, S.S. & Pua, H.L. A nonoccluding bag and closed scavenging system for the Jackson Rees modified T-piece breathing system, 450
Dickson, R.E., Robertson, E.A. & Krukowski, Z.H. Haemodynamic changes during laparoscopic anterior fundoplication measured by transoesophageal Doppler ultrasound, 280
Diefenbach, Ch. *see* Kampe, S.
Dihimis, W. *see* Scawn, N.D.A.
Diprose, P. *see* Deakin, C.D.
Dirksen, R. *see* De Weert, K.
Dirnhuber, M. *see* Pitman, J.A.L.
Dix, P. Pitfalls of moisturising creams, 1041
Djabaty, E. *see* Donnelly, T.
Donnelly, T., Djabaty, E. & Davies, M. Management of disconnection between epidural filters and catheters: a dilemma for the anaesthetist, 193
Dorje, P., Bree, S.E., Adhikary, G. & Mclaren, D.I.; Dunn, S.R.,

© 2000 Blackwell Science Ltd

Farnsworth, T.A. & Karunaratne, W.U. Hyperchloraemia causes metabolic acidosis by reducing strong ion difference, 94
Downs, R.E., Glew, R.S. & Pay, A.D. Burns following day-case surgery, 198
Doyle, P.W. & Lowe, S. Airway protection during percutaneous tracheostomy, 1042
Dravid, R.M. *see* Shmelzle-Lubiecki, B.M.
Dravid, R.M. & Popat, M.; Asai, T. & Shingu, K. Intubation during manual in-line stabilisation of the head and neck, 814
Drummond, G. *see* Willatts, S.M.
Drummond, G.B. *see* Thompson, S.A.
Dubey, P.K. & Kumar, A. A device for cricothyrotomy and retrograde intubation, 702
Duffy, T.M. Epidural tunnelling techniques, 1233
Duggan, M. *see* Harmon, D.
Dunkley, C. *see* Cupitt, J.M.
Dunn, S.R. *see* Dorje, P.
Dunne, I.P. *see* Shaaban, M.
Dutta, A. *see* Podder, S.
Dutta, A., Jain, K. & Chari, P. Iatrogenic foreign body in the bronchus, 1036
Dwenger, C.S. 'Sulpha' hypersensitivity, 200
Dzendrowskyj, P. & Ward, S. Peanuts or paranoia?, 102

Ebert, T.J. *see* Hall, J.E.
Ecoffey, C. *see* Estebe, J.-P.
Edgar, P. Value of attachments in A & E to intensive care training, 1234
Edge, G. *see* Turner, A.
Elliott, S. *see* Pounder, D.
Emerson, P.A. *see* Barnes, P.K.
Emir, H. *see* Bozkurt, P.
Emmens, D.; Rodig, G. Cognitive function and surgery, 502
Engelhardt, T., Cuthbertson, B.H. & Webster, N.R.; Ridley, S.A. Consider position of patient to prevent ventilator-associated pneumonia, 489
Enright, S.M. *see* Reuber, M.
Erdogan, E. *see* Bozkurt, P.
Escarment, J. *see* Guha, A.
Escarment, J., Suppini, A., Sallaberry, M., Kaiser, E., Cantais, E., Palmier, B. & Quinot, J.F. Percutaneous tracheostomy by forceps dilation: report of 162 cases, 125
Esler, M.D., Wilkinson, D.J. & Langford, R.M. Degradation of laryngoscopes, 300
Estebe, J.-P., Le Naoures, A., Chemaly, L. & Ecoffey, C. Tourniquet pain in a volunteer study: effect of changes in cuff width and pressure, 21
Evans, E. *see* Broadbent, C.R.
Ewan, P.W. *see* Seed, M.J.
Ezri, T., Szmuk, P., Stein, A., Konichezky, S., Hagai, T. & Geva, D. Peripartum general anaesthesia without tracheal intubation: incidence of aspiration pneumonia, 421

Fairbrass, M.J. & Bembridge, M. Training for critical incidents, 728
Fale, A. *see* Morgan, P.W.
Farah, E. *see* Samain, E.
Farnsworth, T.A. *see* Dorje, P.
Farrimond, J. *see* Haldar, M.
Fechner, J. *see* Albrecht, S.
Fee, J.P.H. *see* Bedi, A.; Blair, J.M.; Renfrew, C.W.
Fenlon, S. & Vincent, C. A method for monitoring end-tidal carbon dioxide levels for patients breathing spontaneously, 189
Fennelly, M. *see* Turner, A.
Fenton, P.M. *see* Hardy, J-F.
Ferch, N.I. *see* Kam, P.C.A.
Ferguson, C.N. *see* Protopapas, M.
Ferguson, K. *see* Chambers, W.A.
Fernando, R. *see* Levy, N.; Robinson, J.; Stocks, G.M.
Ferrie, R. *see* Broadbent, C.R.
Fischer, H.B.J. *see* Potter, F.A.
Fischer, J. *see* Weiss, M.
Fisher, G.R. *see* Taivainen, T.
Fitzgerald, R.D. *see* Urtubia, R.M.
Flabouris, A. *see* Fletcher, S.J.
Fletcher, S.J. & Flabouris, A. The patient-at-risk team, 198
Flynn, N. *see* Harmon, D.
Foex, B.A. *see* Chadwick, I.S.; Neill, F.
Foex, B.A. The do-not-attempt resuscitation ('DNAR') order, 292
Foxell, R. *see* Mandal, N.G.
Francis, J.D. *see* Gupta, S.
Francis, V. *see* Hallett, A.
Franco, D. *see* Motamed, C.
French, G. *see* Neill, F.
French, G.W.G. *see* Beamer, J.
Frerk, C. Not another scoring system, 698
Frow, M.W., Miranda-Caraballo, J.I., Akhtar, T.M. & Hugkulstone, C.E. Single injection peribulbar anaesthesia. Total upper eyelid drop as an end-point marker, 750
Fujinaga, M. *see* Maze, M.
Fukutome, T. *see* Murashima, K.

Gabriel, C. *see* Brock, H.
Gallagher, A. *see* Allen, S.J.; Bedi, A.
Gallagher, G., Rae, C.P., Kenny, G.N.C. & Kinsella, J. The use of a target-controlled infusion of alfentanil to provide analgesia for burn dressing changes. A dose finding study, 1159
Gamble, J.A.S. *see* Sharma, M.L.
Ganjoo, P. *see* Kathirvel, S.
Gao, F., Harris, D.N.F., Sapsed-Byrne, S. & Standfield, N.J. Nerve tissue protein S-100 and neurone-specific enolase concentrations in cerebrospinal fluid and blood during carotid endarterectomy, 764
Gardiner, J. *see* Harmon, D.
Gardner, S. & Gedney, J. Mediastinal tamponade due to gastric distension, 296
Garfield, M., Jeffrey, R. & Ridley, S. An assessment of the staffing level required for a high-dependency unit, 137
Garfield, M. *see* Poulton, B.
Garrett, W.R. & Hough, M.B. Nosocomial infections related to fibreoptic intubation, 816
Garrett, W.R. Emergency drugs, 402
Garstang, J.S. Gas leak from TEC 5 Isoflurane Vaporiser, 915
Gawne-Cain, M. *see* Broadbent, C.R.
Gedney, J. *see* Gardner, S.
Geisslinger, G. *see* Albrecht, S.
George, A., Smith, I. & Thwaites, A.J. Comparison of sevoflurane and propofol, 189
George, J. *see* Perello, A.
George, K.A. *see* Sharma, M.L.
Georgiou, L., Bousoula, M. & Spetsaki, M. Combined thoracic epidural and general anaesthesia with laryngeal mask airway for laparoscopic cholecystectomy in a patient with myasthenia gravis, 821
Gerber, A. *see* Biro, P.
Geva, D. *see* Ezri, T.
Gielen, M. *see* De Weert, K.

© 2000 Blackwell Science Ltd

Gildersleve, C. *see* Morton, G.
Girdler, N.M., Rynn, D., Lyne, J.P. & Wilson, K.E. A prospective randomised controlled study of patient-controlled propofol sedation in phobic dental patients, 327
Girgis, Y. Hypoxia caused by body piercing, 413
Gleasa, O. *see* Harmon, D.
Glew, R.S. *see* Downs, R.E.
Goddard, J.M. *see* Short, J.A.
Godfrey, I. *see* Cook, T.M.
Gombar, K.K. *see* Mitra, S.; Sinha, P.K.
Gombar, S. *see* Sen, I.
Gomez-Bordas, L.A. & Plaat, F.; Bythell, V., Redfern, N. & Nesbitt, I. Anaesthesia for the elderly parturient, 717
Goodman, N.W. Opioid-induced breathing patterns disappear from view, 100
Goulding, P.J. *see* Reuber, M.
Graham, C.A. & Munro, P.T. Airway management in the Accident and Emergency Department, 814
Granger, C. *see* Hulme, G.J.
Grant, S. *see* Woods, A.W.
Gray, I.G. *see* Kendell, J.
Greenwell, S. Stress in trainee anaesthetists, 203
Greenwell, S.K. *see* Williams, J.M.
Greer, R. *see* Kapoor, V.
Greig, J.R. *see* Shah, N.
Griffiths, R. & Smith, H. Paediatric intensive care transfers, 610
Griffiths, R. *see* Kenny, M.
Grundler, S. *see* Wilkes, A.R.
Gruning, T. *see* Scott, J.
Guasch, E. *see* Mu–oz-Ramón, J.M.
Gudgeon, J. *see* Kenny, M.
Gudgeon, J.; Nowicki, R.W.A. & Norris, A. Caesarean section in a patient with Engelmann's disease, 406
Guha, A.; Escarment, J. Bronchoscopy during percutaneous tracheostomy, 704
Gunawardana, R.H. & Ratnayaka, J.I.L.B. Postoperative crying in infants, 197
Gunning, M.P. & Hayes, M.A. A modification of the percutaneous tracheostomy technique, 700
Gunther, A. *see* Sumpelmann, R.
Gupta, S.; Cooke, R. Poor interlock safety with datum sevoflurane vaporisers, 404
Gupta, S. & Ravalia, A. Remifentanil for percutaneous tracheostomies in ITU, 491
Gupta, S., Francis, J.D., Porter, G.E. & Valentine, J.M.J. An independent assessment of a supraregional pain management programme and comparison of patients' and general practitioners' perceptions of the effects, 374
Gupta, S. & Zwaal, J.W.; Poore, D.P. Radio-opaque stripes on tracheal and tracheostomy tubes, 819
Gupta, S. & Zwaal, J.W.; Rowsell, R. Ambiguous drug labelling on ampoules containing local anaesthetic solution, 609
Gupta, V. *see* Madan, R.

Habre, W. *see* Szabo, C.
Hacibekiroglu, M. *see* Bozkurt, P.
Hagai, T. *see* Ezri, T.
Haigh, C. *see* Albrecht, S.
Hajnal, S. *see* Barnes, P.K.
Haldar, M. & Farrimond, J. Ventilator trigger setting in an intensive care unit, 1225
Hall, J.E. *see* Low, J.; Mallinder, P.A.; Plastow, S.E.; Wilkes, A.R.
Hall, J.E., Ebert, T.J. & Harmer, M. Induction charactersitics with 3% and 8% sevoflurane in adults: an evaluation of the second stage of anaesthesia and its haemodynamic consequences, 545
Hall, W.J. *see* Janzen, P.R.M.
Hallett, A., O'Higgins, F., Francis, V. & Cook, T.M. Patient-controlled intranasal diamorphine for postoperative pain: and acceptability study, 532
Hallworth, S.P. *see* Stocks, G.M.
Halpern, E.F. *see* Lewis, K.P.
Hamilton, M.P.R. *see* Thomson, N.
Hamilton, V. *see* Ryan, M.
Hanna, G.B. *see* Alijani, A.
Hanning, C.D. *see* Ayorinde, B.T.
Hans, P. *see* Mathy-Hartert, M.
Hans, P., Bonhomme, V., Born, J.D., Maertens de Noordhoudt, A., Brichant, J.F. & Dewandre, P.Y. Target-controlled infusion of propofol and remifentanil combined with bispectral index monitoring for awake craniotomy, 255
Harban, F.M.J. *see* McNicholas, J.J.K.
Harding, L.J.E. & Vaughan, R.S. Latex allergy – potentially a painful postoperative problem, 723
Hardy, J-F. & Fenton, P.M. Effectiveness of blood transfusion in Malawi, 613
Harmer, M. What's new for the Millennium, 3
Harmer, M. For the times they are a-changing – or are they?, 735
Harmer, M. *see* Hall, J.E.; Perera, C.N.; Shaaban Ali, M.; Wilkes, A.R.
Harmon, D. & Bajwa, S.; Janknegt, R. Clinical efficacy of anti-emetics following surgery, 407
Harmon, D., Duggan, M. & Flynn, N. Anaesthesia on the World Wide Web: is reliable patient information available on the Internet?, 728
Harmon, D., O'Connor, P., Gleasa, O. & Gardiner, J. Menstrual cycle irregularity and the incidence of nausea and vomiting after laparoscopy, 1164
Harris, D.N.F. *see* Gao, F.
Harrison, G.R. The contamination of volatile anaesthetics in an in-circle vaporiser with water during prolonged closed-circle anaesthesia, 791
Harrison, G.R. Tunnelled epidurals, 1142
Harrison, J. *see* Bell, M.D.D.
Harrison, M.J., Kluger, M.T. & Robertson, N.N. The relationship between change in blood pressure, blood pressure and time, 385
Hartley, L.A. *see* Carroll, C.D.C.
Hartmann, T., Kren, C.G., Zoeggeler, A., Hoerauf, K., Benumof, J.L. & Krafft, P. The oesophageal–tracheal Combitube Small Adult™. An alternative airway for ventilatory support during gynaecological laparoscopy, 670
Hartsilver, E.L. & Vanner, R.G. Airway obstruction with cricoid pressure, 208
Harwood, R. *see* O'Hare, D.
Harwood, R.J. *see* Williams, K.A.
Hasan, M. *see* Nickells, J.S.; Purdie, N.L.
Haslett, R. *see* Johnson, T.
Hatch, D. *see* De Lima, J.
Hattori, S. *see* Mori, M.
Hawkins, T.J. Upper airway obstruction, 600
Hayes, A. *see* Breslin, D.
Hayes, A., Breslin, D., Reid, J. & Mirakhur, R.K. Comparison of recovery following rapacuronium, with and without neostigmine, and suxamethonium, 859
Hayes, M.A. *see* Gunning, M.P.
Hazlehurst, G. *see* Mallett, S.V.

© 2000 Blackwell Science Ltd

Heames, R.M. & Vincent, J.C. Urgent abdominal aortic aneurysm repair and sickle cell trait, 1034
Hegarty, M., Turner, T. & Yentis, S.M.; Combs, A.H. FW-537-1 fluid warmer, 402
Helmy, S.A.K. & Al-Attiyah, R.J. The effect of halothane and isoflurane on plasma cytokine levels, 904
Henderson, K. *see* Williams, S.
Hepp, M. *see* King, R.
Hickey, J.D. *see* Sawyer, R.J.
Higgins, D.J. *see* Coker, N.
Hill, D.A. *see* Blair, J.M.; Blair, J.M.; Hughes, D.A.
Hill, S.L. Stylet hazard, 702
Hirota, K. *see* Sasaki, R.
Hobbs, G.J. *see* Nowicki, R.W.A.
Hocking, G. & Shaikh, L. Anaesthetic pre-assessment clinics to identify patients at risk, 812
Hodges, A.M. *see* Hodges, S.C.
Hodges, S.C. & Hodges, A.M. A protocol for safe anaesthesia for cleft lip and palate surgery in developing countries, 436
Hoerauf, K. *see* Hartmann, T.
Holt, M. Patient-controlled oramorph – the future?, 933
Holyoake, L. *see* Brimacombe, J.
Hooper, R.L.J. *see* Neill, F.
Hopkins, P.M. *see* Janzen, P.R.M.
Horsey, P.J.; Carvalho, B. & Quiney, N. Hyperkalaemia associated with transfusion of plasma reduced blood, 294
Hough, M.B. *see* Garrett, W.R.
Howard, J.M. *see* Vaughan, D.J.A.
Howard, W. *see* Peyton, P.
Howell, S. *see* Stoneham, M.
Howells, H. *see* Speirs, M.
Howie, J.C. *see* Woods, A.W.
Hughes, D.A. & Hill, D.A. Intrathecal alfentanil with and without bupivacaine for analgesia in labour, 1116
Hughes, J.C. Assessing sensory blockade after regional anaesthesia, 831
Hughes, P., Scott, C. & Bodenham, A. Ultrasonography of the femoral vessels in the groin: implications for vascular access, 1198
Hugkulstone, C.E. *see* Frow, M.W.
Hulme, G.J. & Granger, C. Use of a pleurogram to identify the position of a misplaced subclavian catheter, 398
Hung, C.-J. *see* Lee, P.-C.
Hunt, P. *see* Urwin, S.; Urwin, S.C.
Hutchinson, C., Craig, S. & Ridley, S. Sequential organ scoring as a measure of effectiveness of critical care, 1149
Hutchinson, J.D. *see* Kannan, S.
Hutchinson, S., Andrzejowski, J. & Birks, R.J.S. The New Deal – a poor deal for service and training, 206

Iffland, R. *see* Kampe, S.
Inada, T. *see* Brunner, M.
Itani, M.M. *see* Ayoub, C.
Ives, N. *see* Theaker, C.

Jackson, A.O. Faking unconciousness, 409
Jackson, A.P.F. *see* Smith, J.E.
Jaeger, K., Ruschulte, H., Muhlhaus, K. & Tatagiba, M. Combined emergency Caesarean section and intracerebral aneurysm clipping, 1138
Jain, K. *see* Dutta, A.
Jalbout, M. *see* Baraka, A.
James, R.H. Difficult intubation, 1133
Jameson, P.P.M. & Lawler, P.G. Transfer of critically ill patients in the Northern region, 489
Jandziol, A.K. & Ridley, S.A. Validation of outcome prediction in elderly patients, 107
Janknegt, R. *see* Harmon, D.
Jankowski, S. *see* Shah, N.
Janzen, P.R.M., Hall, W.J. & Hopkins, P.M. Setting targets for sedation with a target-controlled propofol infusion, 666
Jarratt, J.A. *see* Sawyer, R.J.
Jayasuriya, J.P. Syringe drug labels, 201
Jefferson, P. *see* Ball, D.R.
Jeffrey, R. *see* Garfield, M.
Jenkins, C. & Sudheer, P.S. Needle thoracocentesis fails to diagnose a large pneumothorax, 925
Jenkins, J. Combined spinal/epidural techniques and the awake/asleep debate, 91
Jenkins, J.G. Iatrogenic postoperative peripheral neuropathy is commoner than generally realised, 90
Jenkins, J.G. *see* Barnardo, P.D.
Jeskins, G. *see* Khor, L.J.H.
Jeyapalan, K. *see* Rajesh, A.
Johal, B.K. & Shelly, M.P. Olanzopine overdose, 929
Johmura, S. *see* Asai, T.
Johnson, I.A.T. *see* Andrzejowski, J.
Johnson, R. & Bailie, R. Airway Management Device (AMD™) for airway control in percutaneous dilatational tracheostomy, 596
Johnson, R.V. Cardiac arrest after video-assisted thoracoscopic drainage of pleural effusion, 1033
Johnson, R.V., Lyons, G.R., Wilson, R.C. & Robinson, P.C.A. Training in obstetric general anaesthesia: a vanishing art?, 179
Johnson, R.V. *see* Tsen, L.C.
Johnson, T. & Haslett, R. X-ray image intensifier assisted placement of a thoracic epidural catheter, 822
Jones, G.N. & Barker, J.M. A modification to the Codman™ Microsensor™ Skull Bolt Kit, 1216
Jones, J.G. *see* Khan, O.A.
Jones, K.J. *see* Kenny, M.
Jones, N. *see* Avidan, M.S.
Jones, R. *see* Anwari, J.S.
Jordan, M.J. & Levitan, R.M. Grading systems for direct laryngoscopy, 291

Kadoya, T. *see* Uehara, H.
Kai, M. *see* Wace, J.
Kaiser, E. *see* Escarment, J.
Kale, S.S. & Oosthuysen, S.A. Identification of epidural space using air with normal saline, 615
Kam, P.C.A. & Ferch, N.I. Apoptosis: mechanisms and clinical implications, 1081
Kam, P.C.A. & See, A.U.-L. Cyclo-oxygenase isoenzymes: physiological and pharmacological role, 442
Kampe, S., Iffland, R., Korenkov, M. & Diefenbach, Ch. Survival from a lethal blood concentration of cyanide with associated alcohol intoxication, 1189
Kandel, T. *see* Cros, A.M.
Kannan, S. & Hutchinson, J.D. Accidental intraperitoneal insertion of femoral haemodialysis catheter in tense ascites and anasarca, 399
Kannan, S. *see* McClelland, A.; Norman, B.
Kannan, T.R. *see* Kathirvel, S.
Kapoor, V., Greer, R., Bazo, A. & Barnes, D.G. Transurethral vaporisation of the prostate, 1036
Karunaratne, W.U. *see* Dorje, P.

© 2000 Blackwell Science Ltd

Kathirvel, S. *see* Mahalingam, T.G.
Kathirvel, S., Sadhasivam, S., Saxena, A., Kannan, T.R. & Ganjoo, P. Effects of intrathecal ketamine added to bupivacaine for spinal anaesthesia, 899
Kaufman, L. Dystrophia myotonica and succinylcholine, 929
Kaul, H.L. *see* Madan, R.
Kay, N.H. Speed of onset of regional analgesia in labour: a comparison of the epidural and spinal routes, 499
Kaya, G. *see* Bozkurt, P.
Keep, P.J. *see* Wace, J.
Keeris, J. *see* Umbrain, V.
Keller, C. *see* Brimacombe, J.
Kemp, M. *see* Neill, F.
Kendell, J., Wildsmith, J.A.W. & Gray, I.G. Costing anaesthetic practice. An economic comparison of regional and general anaesthesia for varicose vein and inguinal hernia surgery, 1106
Kenningham, J. An unusual case of postoperative facial swelling, 601
Kenny, G.N.C. *see* Gallagher, G.
Kenny, M. & Peters, M.; Gudgeon, J.; Jones, K.J.; Griffiths, R. & Smith, H. Paediatric intensive care transfers, 1025
Kersley, M. *see* Vohra, S.B.
Kevin, L.G., O'Riain, S. & O'Leary, E. An old injury with a modern twist, 199
Khan, F.A. & ul Haq, A. Effect of cricoid pressure on the incidence of nausea and vomiting in the immediate postoperative period, 163
Khan, O.A., Taylor, S.R.J. & Jones, J.G. Anaesthesia and saccadic eye movements, 877
Khan, R.M. *see* Singh, M.
Khor, L.J.H., Jeskins, G., Cooper, G.M. & Paterson-Brown, S. National obstetric anaesthetic practice in the UK 1997/1998, 1168
Khoury, S. *see* Baraka, A.
Kihara, S., Watanabe, S., Taguchi, N., Suga, A. & Brimacombe, J.R. A comparison of blind and lightwand-guided tracheal intubation through the intubating laryngeal mask, 427
Kim, C.S. *see* Kim, H.S.
Kim, H.S., Kim, S.D., Kim, C.S. & Yum, M.K. Prediction of the oculocardiac reflex from pre-operative linear and nonlinear heart rate dynamics in children, 847
Kim, S.D. *see* Kim, H.S.
King, R. & Campbell, A. Performance of the radiometer OSM3 and ABL505 blood gas analysers for determination of sodium, potassium and haemoglobin concentrations, 65
King, R. & Hepp, M.; Ross, J.A.S. Isoflurane Entonox mixtures for pain relief during labour, 711
Kinsella, J. *see* Gallagher, G.
Kinsella, S.M. *see* Scrutton, M.J.L.
Kirkham, A.J.T. *see* Prys-Roberts, C.
Kirton, C. *see* Macdonald, C.
Kitajima, T. *see* Okuda, Y.
Kliempt, P. *see* Ahmad, K.
Kluger, M.T. *see* Harrison, M.J.
Kluger, M.T., Tham, E.J., Coleman, N.A., Runciman, W.B. & Bullock, M.F.M. Inadequate pre-operative evaluation and preparation: a review of 197 reports from the Australian Incident Monitoring Study, 1173
Knighton, J. *see* Taylor, B.L.
Knighton, J.D. & Stoneham, M.D. Carotid endarterectomy. A survey of UK anaesthetic practice, 481
Knowles, J. *see* Carradice, D.
Koay, C.K. *see* Ong, E.L.
Koh, K.-F. *see* Ng, H.-P.
Kohnen, S. *see* Mathy-Hartert, M.
Konichezky, S. *see* Ezri, T.
Korenkov, M. *see* Kampe, S.
Kostopanagiotou, G., Coussi, T., Tsaroucha, N. & Voros, D. Anaesthesia using a laryngeal mask airway in a patient with osteogenesis imperfecta, 506
Koupparis, L.S. Harmless herbs: a cause for concern?, 101
Krafft, P. *see* Hartmann, T.
Kramer, M.R. *see* Matot, I.
Kren, C.G. *see* Hartmann, T.
Krosnar, S. & Clark, V. Crashed and nearly burned . . . during a LSCS!, 936
Krukowski, Z.H. *see* Dickson, R.E.
Kulkarni, A.; Alexander, R. Remifentanil and propofol for tracheal intubation, 516
Kumar, A. *see* Brunner, M.; Dubey, P.K.
Kumar, A., Bhattacharya, A. & Makhija, N. Evoked potential monitoring in anaesthesia and analgesia, 225
Kumar, C.M., Williamson, S. & Chabria, R. A simple method of sub-Tenon anaesthesia delivery, 612
Kumar, N. & Chambers, W.A. Tunnelling epidural catheters: a worthwhile exercise?, 625
Kumle, B. *see* Piper, S.N.
Kuras, Y. *see* Matot, I.
Kurian, S.M., Peacock, J.E. & Wrench, I.J. Unilateral pulmonary oedema following general anaesthesia – previous chest wall irradiation as a possible contributing factor, 496

Lack, J.A. Mobile communications in hospitals, 727
Lack, J.A. No laughing matter – a failure of pipeline nitrous oxide supply, 912
Lahoud, G.Y. Death in the dental chair, 88
Lam, H. *see* Neill, F.
Lamy, M. *see* Mathy-Hartert, M.
Landeck, A. *see* Ahmad, K.
Lang, E.M. *see* Renna, M.
Langford, R.M. *see* Esler, M.D.
Langton, J.A. *see* Dashfield, A.K.
Lassborn, O. *see* Aziz, E.
Latter, J.A. & Mulvey, D.A.; Pfitzner, J. The use of an oxygen source attached to the nonventilated lung during one-lung anaesthesia, 88
Latto, I.P. *see* Shaaban, M.
Laubenthal, H. *see* Sirtl, C.
Lawler, P.G. *see* Cattell, E.; Jameson, P.P.M.
Lawrence, R.A.; Sethi, A.K., Chatterji, C. & Tyagi, A. Safe pre-operative fasting times after milk or clear fluid in children, 501
Lawton, G. *see* Dana, E.
Lazzell, V.A. *see* Paut, O.
Le Naoures, A. *see* Estebe, J.-P.
Le Poidevan, R. *see* Penney, D.
Leaper, D.J. *see* Low, J.; Mallinder, P.A.
Leary, T.S. & Blunt, M.C. Percutaneous tracheostomy – an improvement in safety, 699
Lederer, W. Peripartum general anaesthesia without tracheal intubation, 1140
Lee, B.B. Caution with ropivacaine ampoules, 201
Lee, B.B. *see* Morley, A.
Lee, H.M. & Sanders, G.M. Caudal ropivacaine and ketamine for postoperative analgesia in children, 806
Lee, J. *see* Turner, A.
Lee, P.-C., Hung, C.-J., Lei, H.-Y. & Tsai, Y.-C. Suspected acute post-transplant neuropsychosis due to interaction of morphine and cyclosporine after a renal transplant, 827

© 2000 Blackwell Science Ltd

Lehane, J.R. *see* Cormack, R.S.
Lei, H.-Y. *see* Lee, P.-C.
Leigh, J. *see* Scott, M.J.P.
Lejus, C. *see* Prys-Roberts, C.
Lemmon, S. *see* Scott, J.
Lemoing, J.P. *see* Paut, O.
Lerman, J. *see* Prys-Roberts, C.
Levitan, R.M. *see* Jordan, M.J.
Levron, J.C. *see* Paut, O.
Levy, D.M. *see* Speirs, M.
Levy, D.M.; Cadamy, A.J. & Booth, M.G. Rapid sequence induction: suxamethonium or rocuronium?, 86
Levy, N. & Fernando, R. Reducing the incidence of technical failures and paraesthesia in combined spinal–epidural techniques, 1230
Lewis, K.P., Appadurai, I.R., Pierce, E.T., Halpern, E.F. & Bode Jr, R.H. Prophylactic amrinone for weaning from cardiopulmonary bypass, 627
Lillywhite, N.K. *see* Nickells, J.S.; Purdie, N.L.
Lim, N.L. *see* Ong, E.L.
Lindhoff, G.A. & Palmer, J.H.MacG. An assessment of the thermal safety of microwave warming of crystalloid fluids, 251
Lindop, M.J. Epidural insertion under general anaesthesia, 613
Ling, L.C. *see* Wang, C.Y.
Lischke, V. *see* Byhahn, C.; Milligan, K.R.
Livingston, B.M. *see* Woods, A.W.
Lloyd Jones, S. & Mason, R.A. Laser surgery in a patient with Romano-Ward (long QT) syndrome and an automatic implantable cardioverter defibrillator, 362
Lo, W.K. *see* Wong, K.
Lockwood, G.G. *see* Renna, M.
Lopez, C. *see* Cros, A.M.
Lopez, T. *see* Prys-Roberts, C.
Loughnan, B. *see* Nickells, J.S.; Purdie, N.L.
Low, J. & Tordoff, S. Pethidine in labour, 936
Low, J. Dimensions of intubating laryngeal mask airway tracheal tube, 923
Low, J. *see* Nolan, J.
Low, J., Mallinder, P.A., Hall, J.E., Bergin, F.G., Royle, P. & Leaper, D.J. Epidural anaesthesia and splanchnic blood flow, 1227
Lowe, S. *see* Doyle, P.W.
Lteif, A. *see* Ayoub, C.; Baraka, A.
Lucas, D.N. & Yentis, S. A comparison of the intubating laryngeal mask tracheal tube with a standard tracheal tube for fibreoptic intubation, 358
Lunn, D.V. Anaesthetic machines vs. draw-over apparatus, 402
Luntley, J.B. *see* Peacock, J.E.
Lyne, J.P. *see* Girdler, N.M.
Lyons, G.R. *see* Johnson, R.V.; Tsen, L.C.

Maass, A.B. *see* Albrecht, S.
Macartney, N.J.D. & Cohen, J. Another case of anaesthetic machine failure, 1215
Macdonald, C. & Kirton, C. Temperature monitoring in paediatric practice, 709
Macdonald, J.M.S. Anaesthesia and angiotensin II receptor antagonists, 1038
Macdonald, J.M.S., McCluskey, A. & Archer, G.J. A novel approach to inspiratory vocal cord dysfunction, 394
Mackenzie, I. Pressure for success, 1136
Mackenzie, I. Sleepers for body piercing, 1142
Mackirdy, F.N. *see* Woods, A.W.
Maclennan, F. *see* Thomson, N.
Macmillan, C.S.A. & Wildsmith, J.A.W. A survey of dental anaesthesia in Scotland, 581
Madan, R. *see* Shende, D.
Madan, R., Tamilselvan, P., Sadhasivam, S., Shende, D., Gupta, V. & Kaul, H.L. Intra-ocular pressure and haemodynamic changes after tracheal intubation and extubation: a comparative study in glaucomatous and nonglaucomatous children, 380
Maertens de Noordhoudt, A. *see* Hans, P.
Maguire, T. *see* Sheeran, P.
Mahalingam, T.G., Kathirvel, S. & Sodhi, P. Anaesthetic management of a patient with pemphigus vulgaris for emergency laparotomy, 160
Mainland, P. *see* Morley, A.
Majumdar, R. *see* Deakin, C.D.
Makhija, N. *see* Brunner, M.; Kumar, A.
Makker, R. & Yanny, W. Postoperative delirium mimicking epilepsy, 601
Male, D. *see* Anwari, J.S.
Maleck, W.H. *see* Piper, S.N.; Wasson, C.
Mallett, S.V., Peachey, T.D., Sanehi, O., Hazlehurst, G. & Mehta, A. Reducing red blood cell transfusion in elective surgical patients: the role of audit and practice guidelines, 1013
Mallick, A. *see* Craske, D.A.
Mallinckrodt Medical. Unusual complication of tracheostomy, 199
Mallinder, P.A. *see* Low, J.
Mallinder, P.A., Hall, J.E., Bergin, F.G., Royle, P. & Leaper, D.J. A comparison of opiate- and epidural-induced alterations in splanchnic blood flow using intra-operative gastric tonometry, 659
Mandal, N.G. & Foxell, R. Knotting of a nasogastric tube, 99
Mannam, M.M. *see* McLure, H.A.
Mannan, M. *see* Theaker, C.
Marjot, R. Nip – ple, 413
Maroun, M. *see* Baraka, A.
Marples, I.L. Transcutaneous electrical nerve stimulation (TENS): an unusual source of electrocardiogram artefact, 719
Marshall, H. *see* Streets, C.A.
Marshall, P. *see* Ashley, E.
Martay, K. *see* Ahmad, K.
Marty, J. *see* Samain, E.
Marx, G. *see* Sumpelmann, R.
Maslow, A. *see* Sutcliffe, D.G.
Mason, R.A. *see* Lloyd Jones, S.; Smith, J.E.
Masson, A.H.B. & Payne, J.P. Gone but not forgotten!, 1130
Masuda, A. *see* Sasaki, R.
Mathews, J. & Dexter, T.J. Performing epidermal insertion under general anaesthesia, 710
Mathy-Hartert, M., Mouithys-Mickalad, A., Kohnen, S., Deby-Dupont, G., Lamy, M. & Hans, P. Effects of propofol on endothelial cells subjected to a peroxynitrite donor (SIN-1), 1066
Matot, I., Kuras, Y. & Kramer, M.R. Effect of clonidine premedication on haemodynamic responses to fibreoptic bronchoscopy, 269
Matsumoto, S. *see* Asai, T.
Matta, B. *see* Poulton, B.
Matta, B.F. *see* Young, P.J.
Maxwell, W.B. *see* Broadbent, C.R.
May, A.E. *see* Brooks, H.
Mayall, M.F. *see* Potter, F.A.
Maze, M. & Fujinaga, M. Recent advances in understanding the actions and toxicity of nitrous oxide, 311
McAtamney, D. & McKaigue, J.P. Severe bronchospasm relieved by papaverine?, 187

© 2000 Blackwell Science Ltd

McAtamney, D. *see* McCarroll, C.
McBrien, M.E., Winder, J. & Smyth, L. Anaesthesia for magnetic resonance imaging: a survey of current practice in the UK and Ireland, 737
McCarroll, C., McAtamney, D. & Taylor, R. Alteration in flow delivery with antisyphon devices, 355
McClelland, A., Kannan, S. & Milligan, K.R. Acute abdomen and unexplained metabolic acidosis in a chronic alcoholic, 926
McCluskey, A. *see* Macdonald, J.M.S.; Ruther, P.; Sutcliffe, N.; Van Heerden, P.V.
McCollum, J.C. *see* Milligan, K.R.
McCoy, D.G.L. *see* Cassidy, B.
McIndoe, A. *see* Padkin, A.
McKaigue, J.P. *see* McAtamney, D.
McKenna, P. *see* Ryan, M.
McKenzie, A.G. Prelude to pancuronium and vecuronium, 551
Mclaren, D.I. *see* Dorje, P.
McLeod, S. & Ball, D.R. Remifentanil and seizures, 1038
McLeod, S.R. & Ball, D.R. Hidden defect in flexible laryngeal mask airway, 299
McLeod, S.R. & Ball, D.R. In defence of target-controlled infusion, 89
McLeod, S.R. *see* Ball, D.R.; Ball, D.R.
McLoughlin, L.; Plaat, F. Ambulatory labour analgesia, 713
McLure, H.A. Operative tumour handling and hyperkalaemia, 1222
McLure, H.A., Mannam, M.M., Talboys, C.A., Azadian, B.S. & Yentis, S.M. The effect of facial hair and sex on dispersal of bacteria below a masked subject, 173
McNicholas, J.J.K. & Harban, F.M.J. Anaphylaxis caused by neostigmine, 1039
Meakin, G.H. *see* Taivainen, T.
Mecklem, D. *see* Brimacombe, J.
Meek, T. New house officers' knowledge of resuscitation, fluid balance and analgesia, 1128
Mehta, A. *see* Mallett, S.V.
Mehta, N. *see* Cooney, A.
Mehta, S.; Yoneda, I.; Abdelatti, O. Control of tracheal cuff pessure, 400
Mehta, S.P. *see* Chadha, R.
Menon, M.R.B. A new method of identifying the epidural space, 92
Mercer, M. The role of the Combitube in airway management, 394
Meretoja, O.A. *see* Taivainen, T.
Merry, A.F. *see* Webster, C.S.
Millar, J. Even simpler remifentanil infusions, 617
Milligan, K.R. *see* McClelland, A.
Milligan, K.R. & McCollum, J.C.; Byhahn, C., Lischke, V. & Westphal, K. Translaryngeal tracheostomy in the high-risk patient, 1132
Milner, Q.J.W. & Burchett, K.R. Long-term survival following emergency abdominal aortic aneurysm repair, 432
Milner, Q.J.W. *see* Sutherland, A.
Milward, G. *see* Wright, J.C.J.
Mirakhur, R.K. *see* Breslin, D.; Hayes, A.
Miranda-Caraballo, J.I. *see* Frow, M.W.
Mishio, M. *see* Okuda, Y.
Missen, J. Identification of the epidural space, 1040
Mitchell, M.D. *see* Newton, H.
Mitchell, N. *see* Tewari, P.
Mitchell, R. *see* Turner, A.
Mitra, S., Sinha, P.K., Anand, L.K. & Gombar, K.K. Propofol-induced violent coughing, 707
Miyakawa, H. *see* Mori, M.
Moecke, H.-P. *see* Albrecht, S.
Monaghan, S.D. & O'Brien, K. Are you being framed?, 726
Monaghan, S.D. *see* Clark, R.
Mongia, S. *see* Cunnington, P.
Monnery, L. Use of a pleurogram to identify the position of a misplaced subclavian catheter, 925
Montes, J.M. *see* Urtubia, R.M.
Moosbauer, W. *see* Brock, H.
Moppett, I. *see* Carradice, D.
Morgan, G.A. *see* Wimbush, S.J.
Morgan, M. *see* Baird, W.L.M.
Morgan, M. Would they be proud of us?', 1
Morgan, P.W. & Fale, A. Haemodynamic instability with iodinated contrast agents, 397
Morgan, R.J.M. *see* Wright, M.M.
Mori, M., Yamamoto, H., Hattori, S., Miyakawa, H. & Noguchi, T. Effect of ephedrine on auditory-evoked potentials during light general anaesthesia, 523
Moriarty, A. *see* Brookes, A.
Morlend, R. *see* Cohen, S.
Morley, A., Derrick, J., Mainland, P., Lee, B.B. & Short, T.G. Closed loop control of anaesthesia: an assessment of the bispectral index as the target of control, 953
Morley, A.P., Chung, D.C., Wong, A.S.Y. & Short, T.G. The sedative and electroencephalographic effects of regional anaesthesia, 864
Morphett, S. *see* Craig, A.
Morrison, Y. *see* Das, S.
Morton, G. & Gildersleve, C. Noise in the MRI scanner, 1213
Morton, T., Brady, S. & Clancy, M. Difficult airway equipment in English emergency departments, 485
Motamed, C., Bouaziz, H., Franco, D. & Benhamou, D. Analgesic effect of low-dose intrathecal morphine and bupivacaine in laparoscopic cholecystectomy, 118
Mouithys-Mickalad, A. *see* Mathy-Hartert, M.
Muhlhaus, K. *see* Jaeger, K.
Mulvey, D.A. *see* Latter, J.A.
Mundy, J. *see* Andrzejowski, J.
Mu–oz-Ramón, J.M., Guasch, E. & Alamo, O. Survival following ruptured aortic aneurysm, 1034
Munro, P.T. *see* Graham, C.A.
Muralitharan, V. *see* Chitkara, N.
Murao, K. *see* Asai, T.; Asai, T.
Murashima, K. & Fukutome, T. Jaw thrust manoeuvre for repositioning the epiglottis down folded by the ILM, 921
Murat, I. *see* Prys-Roberts, C.
Murphy, A.K. *see* Taivainen, T.
Murphy, C.M. *see* Sutcliffe, D.G.
Murray, J.M. *see* Bedi, A.; Renfrew, C.W.
Murray, S. *see* Thomson, N.
Murthy, B.V.S. Hyperkalaemia and rapid blood transfusion, 398

Nandakumar, C.G. *see* Craske, D.A.
Nandwani, N. *see* Caranza, R.
Nawfal, M. *see* Baraka, A.
Necek, S. *see* Brock, H.
Neff, T. *see* Weiss, M.
Neill, F. *see* Stoneham, M.
Neill, F., Sear, J.W., French, G., Lam, H., Kemp, M., Hooper, R.L.J. & Foex, P. Increases in serum concentrations of cardiac proteins and the prediction of early postoperative cardiovascular complications in noncardiac surgery patients, 641
Nesbit, I. From gasman to hospital saviour: how far should we go?, 1234

© 2000 Blackwell Science Ltd

Nesbitt, I. Pregnancy, anaesthesia and Guillain–Barre syndrome, 1227
Nesbitt, I. *see* Gomez-Bordas, L.A.
Newton, H. & Mitchell, M.D. Pressure ulcers during labour: the effect of epidural analgesia, 1140
Ng, H.-P., Koh, K.-F. & Tham, L.-S. Vancomycin causes dangerous precipitation when infused with gelatin fluid, 1039
Niblett, D.J. An unusual cause of airway compromise during percutaneous dilatational tracheostomy, 202
Nickells, J.S. *see* Purdie, N.L.
Nickells, J.S., Vaughan, D.J.A., Lillywhite, N.K., Loughnan, B., Hasan, M. & Robinson, P.N. Speed of onset of regional analgesia in labour: a comparison of the epidural and spinal routes, 17
Nixon, M.C. The anaesthetic logbook – a survey, 1076
Noguchi, T. *see* Mori, M.
Nolan, J., Chalkiadis, G.A., Low, J., Olesch, C.A. & Brown, T.C.K. Anaesthesia and pain management in cerebral palsy, 32
Norman, A.T. Succinylcholine and temporal muscle damage, 829
Norman, B.; Kannan, S. Dystrophia myotonica and succinylcholine, 504
Norrie, J. *see* Woods, A.W.
Norris, A. *see* Gudgeon, J.
Nosaka, S. *see* Takahashi, K.
Nowicki, R.W.A. & Hobbs, G.J. Intra-operative monitoring of cardiac output during massive blood loss, 507
Nowicki, R.W.A. Another sticky situation, 305
Nowicki, R.W.A. *see* Gudgeon, J.
Ntoumenopoulos, G.; Ridley, S.A. The role of physiotherapy in ventilator-associated pneumonia, 490
Ntoumenopoulos, G. & Dawson, H.; Clarke, R.C.N. Pros and cons of manual lung hyperinflation, 492

O'Brien, K. *see* Monaghan, S.D.
O'Connor, P. *see* Harmon, D.
O'Dea, J. *see* Banerjee, D.
O'Hare, D., Harwood, R., Woodall, N. & Barker, G. A method for administering topical anaesthesia for flexible airway endoscopy, 616
O'Higgins, F. *see* Hallett, A.
O'Leary, E. *see* Kevin, L.G.
O'Riain, S. *see* Kevin, L.G.
Oczenski, W. *see* Urtubia, R.M.
Offori, E.M. & Popham, P. Decubitus ulcers after instituting epidural analgesia for pain relief in labour, 194
Ogston, S. *see* Ahmad, K.
Okada, K. *see* Aida, S.; Asumang, A.
Okuda, Y., Mishio, M., Kitajima, T. & Asai, T. Cremasteric reflex test as an objective indicator of spinal anaesthesia, 587
Olesch, C.A. *see* Nolan, J.
Ong, E.L., Lim, N.L. & Koay, C.K. Towards a pain-free venepuncture, 260
Onslow, J. *see* Patel, A.
Oo, A. *see* Wang, J.Y.Y.
Oosthuysen, S.A. *see* Kale, S.S.
ørding, H. *see* Thogersen, B.

Padkin, A. & McIndoe, A. Use of the airway exchange catheter for the patient with a partially obstructed airway, 87
Page, R.D. *see* Wang, J.Y.Y.
Palit, T. & Butt, W. Target-controlled infusions, 89
Palmer, C.D. *see* Short, J.A.
Palmer, J.H.MacG. & Ball, D.R. Awake tracheal intubation with the intubating laryngeal mask in a patient with diffuse idiopathic skeletal hyperostosis, 70
Palmer, J.H.MacG. & Ball, D.R. The effect of cricoid pressure on the cricoid cartilage and vocal cords: an endoscopic study in anaesthetised patients, 263
Palmer, J.H.MacG. & Ball, D.R. A 'groovy' fibrescope modification, 608
Palmer, J.H.MacG. *see* Ball, D.R.; Lindhoff, G.A.
Palmier, B. *see* Escarment, J.
Panagiotakopoulos, D. & Cupitt, J.M. Beau's lines, 936
Pancholi, S. *see* Baigel, G.D.
Pande, M. *see* Pande, R.
Pande, R., Pande, M., Bhadani, U., Pandey, C.K. & Bhattacharya, A. Supraclavicular brachial plexus block as a sole anaesthetic technique in children: an analysis of 200 cases, 798
Pandey, C.K. *see* Pande, R.
Pandey, M. *see* Tripathi, M.
Pandit, J.J. *see* Davies, P.
Paoloni, C.C.E. & Arrowsmith, J.E. Patient information leaflets for anaesthetic drugs, 911
Parker, M.R.J. & Day, C.J.E. Visible and occult blood contamination of laryngeal mask airways and tracheal tubes used in adult anaesthesia, 388
Parsloe, M. *see* Cort, J.
Pasch, T. *see* Biro, P.
Passey, J. & Walker, R. Wegener's granulomatosis in a child: an unusual case of upper airway obstruction, 682
Passey, J. *see* Searl, C.P.
Patel, A. *see* Stranix, N.D.
Patel, A. & Sandhu, G.S.; Onslow, J. Severe epistaxis – throat pack and airway inspection are essential, 515
Patel, P. & Verghese, C. Delayed extubation facilitated with the use of a laryngeal mask airway (LMA) on the intensive care unit (ICU), 396
Patel, S. Avoiding air emboli during pressure infusion, 412
Pateman, J. *see* Perello, A.
Paterson-Brown, S. *see* Khor, L.J.H.
Pattnaik, S.K. & Bodra, R.; Yentis, S.M. Epidural analgesia for Caesarean section, 498
Paut, O., Camboulives, J., Viard, L., Lemoing, J.P. & Levron, J.C. The effect of low concentrations of halothane on the cerebrovascular circulation in young children, 1202
Paut, O., Lazzell, V.A. & Bissonnette, B. Effect of ephedrine on auditory-evoked potentials during light general anaesthesia, 528
Paxton, L.D. *see* Allen, S.J.
Pay, A.D. *see* Downs, R.E.
Payne, J.P. *see* Masson, A.H.B.
Peachey, T.D. *see* Mallett, S.V.
Peacock, J.E. *see* Kurian, S.M.
Peacock, J.E., Wright, B.M., Withers, M.R., Luntley, J.B. & Atkinson, R.E. Evaluation of a pilot regimen for postoperative pain control in patients receiving oral morphine pre-operatively, 1208
Pearce, A. *see* Walton, S.
Pedley, J. *see* Buckland, R.W.
Pelimon, A.; Sizer, J.M. The effect of pre-emptive acupuncture treatment on analgesic requirements after day-case knee arthroscopy, 603
Pennefather, S.H. *see* Scawn, N.D.A.; Scawn, N.D.A.; Wang, J.Y.Y.
Penney, D.; Le Poidevan, R. Blocked oxygen tubing, 724
Perello, A., George, J., Skelton, V. & Pateman, J. A double-blind randomised comparison of ropivacaine 0.5%, bupivacaine 0.375%

© 2000 Blackwell Science Ltd

– lidocaine 1% and ropivacaine 0.5% – lidocaine 1% mixtures for cataract surgery, 1003
Perera, C.N., Wiener, P.C., Harmer, M. & Vaughan, R.S. Evaluation of the use of the Flexiblade, 890
Perkins, R.J. *see* Taivainen, T.
Peters, C. *see* Wulf, H.
Peters, M. *see* Kenny, M.
Peyton, P., Cowie, D. & Howard, W. Supplementary oxygenation with the laryngeal mask airway: a comparison of four devices, 992
Pfitzner, J. *see* Latter, J.A.
Pierce, E.T. *see* Lewis, K.P.
Piper, S.N., Suttner, S.W., Schmidt, C.C., Kumle, B., Maleck, W.H. & Boldt, J. Acute phase response to nitroprusside-induced controlled hypotension in patients undergoing radical prostatectomy, 131
Piper, S.N. *see* Wasson, C.
Pitman, J.A.L. & Dirnhuber, M. Glycinothorax: a new complication of transurethral surgery, 155
Pittman, J.A.L. *see* Stedeford, J.C.
Plaat, F. *see* Gomez-Bordas, L.A.; McLoughlin, L.
Plaat, F.S. Facial hair, sex and facemasks, 617
Plant, M. *see* Berry, C.B.
Plant, M. *see* Berry, C.B.
Plastow, S.E., Hall, J.E. & Pugh, S.C. Fentanyl supplementation of sevoflurane induction of anaesthesia, 475
Podder, S., Dutta, A. & Chari, P. Retrolaryngeal extension of goitre in a morbidly obese patient leading to a difficult airway, 1219
Pollock, J.S.S. Pain relief in children after neurosurgery, 410
Polz, W. *see* Brock, H.
Pook, J.A.R. *see* Da Fonseca, J.M.G.
Poore, D.P. *see* Gupta, S.
Poore, D.P. *see* Roddin, M.J.
Popat, M. *see* Dravid, R.M.
Popham, P. *see* Offori, E.M.
Porter, G.E. *see* Gupta, S.
Potter, C.J.F. Vaporisers – son of vinesthene, 301
Potter, F.A.; Fischer, H.B.J.; Mayall, M.F. & Calder, I. Performing epidural insertion under general anaesthesia, 288
Poulton, B. & Young, P. A novel method for epidural catheter fixation, 1141
Poulton, B. *see* Chandler, J.
Poulton, B. & Garfield, M.; Turner, M.; Matta, B. The implications of anaesthetising the brainstem dead, 695
Pounder, D. & Elliott, S. An awake patient may not detect spinal cord puncture, 194
Power, K.J. *see* Thomas, R.
Pozniak, A.L. *see* Avidan, M.S.
Prabhu, M. & Abdy, S. Latex-free central venous lines, 723
Prakash, N. & Carnie, J. Cardiac arrest after video-assisted thoracoscopic drainage of pleural effusion, 495
Pratt, A. *see* Ruther, P.
Prescott, G.J. *see* Chambers, W.A.
Primhak, R.A. *see* Short, J.A.
Protopapas, M. & Ferguson, C.N. Ventilation through a metal tracheostomy tube, 1131
Prys-Roberts, C., Lerman, J., Murat, I., Taivainen, T., Lopez, T., Lejus, C., Spahr-Schopfer, I., Splinter, W. & Kirkham, A.J.T. Comparison of remifentanil versus regional anaesthesia in children anaesthetised with isoflurane/nitrous oxide, 870
Pua, H.L. *see* Dhara, S.S.
Puddy, B.R. & Cook, L.B. The safest prediction of epidural analgesia, 1230
Puddy, B.R. Acute respiratory failure secondary to severe hypokalaemia, 1221
Pugh, S.C. *see* Plastow, S.E.
Pulletz, M. *see* Deakin, C.D.
Purdie, N.L. & Checketts, M.R.; Stacey, R.G.W. & van der Horst, N.; Vaughan, D.J.A., Lillywhite, N.K., Nickells, J.S., Loughnan, B., Hasan, M. & Robinson, P.N. Speed of onset of regional analgesia in labour, 714

Quiney, N. *see* Horsey, P.J.
Quinlan, J. Reinforced laryngeal mask severed by biting, 186
Quinot, J.F. *see* Escarment, J.

Radford, M. The anaesthetic team, 594
Radford, R. Further hazards of body piercing, 305
Radford, W.J.P. *see* Barnes, P.K.
Radhakrishna, S. Side-effects of cardiac output measurement, 101
Radhakrishna, S. Coning in a patient with spina bifida following general anaesthesia for cytoscopy, 295
Radhakrishna, S. Internal jugular cannulation using a long spinal needle as a seeker needle, 1034
Radhakrishna, S. *see* Sudheer, P.S.
Rae, C.P. *see* Gallagher, G.
Raghavan, V. *see* Chitkara, N.; Wood, C.
Raghavendra, L.P. *see* Cupitt, J.M.
Raghavendra, T.P. Beware of the cannula in the antecubital fossa, 833
Rajesh, A., Aslam, M. & Jeyapalan, K. D and 3-D reconstruction for tracheal stenosis, 513
Ralph, J.K. *see* Bell, G.T.
Ranasinghe, D.N. Date-expired nitrous oxide cylinders found on anaesthetic machines, 819
Ranasinghe, D.N. Expiratory dates on anaesthetic gas cylinders, 1215
Ranasinghe, D.N. Skin damage related to regional anaesthesia, 935
Ratnayaka, J.I.L.B. *see* Gunawardana, R.H.
Ravalia, A. *see* Gupta, S.
Ravalia, A. Should Mendelson's Syndrome be renamed?, 1040
Rawlings, E. *see* Craig, A.
Rayen, A.T.A. A device for oxygen administration during ophthalmic surgery under local anaesthesia, 508
Rechner, J.A. New method for assessing sensory blockade, 411
Redfern, N. *see* Gomez-Bordas, L.A.
Redfern, N. Stress and trainees, 1027
Reid, J. *see* Breslin, D.; Hayes, A.
Renfrew, C.W., Murray, J.M. & Fee, J.P.H. A qualitative investigation into the physical stability of polypropylene and polyethylene in liquid isoflurane and sevoflurane, 793
Renna, M., Lang, E.M. & Lockwood, G.G. The effect of sevoflurane on implicit memory: a double-blind, randomised study, 634
Reuber, M., Enright, S.M. & Goulding, P.J. Postoperative pseudostatus. Not everything that shakes is epilepsy, 74
Reynolds, F. Logic in the safe practice of spinal anaesthesia, 1045
Reynolds, F. *see* Robinson, J.
Richmond, M.N. *see* Sawyer, R.J.
Ridley, S.A. *see* Engelhardt, T.; Garfield, M.; Hutchinson, C.; Jandziol, A.K.; Ntoumenopoulos, G.; Self, R.
Rieger, R. *see* Brock, H.
Roberts, R.G. Management of a septic patient with postdural puncture headache, 720
Roberts, W.O. Paradoxical emboli in patent foramen ovale, 618
Robertson, A. *see* Alijani, A.

© 2000 Blackwell Science Ltd

Robertson, E.A. *see* Dickson, R.E.
Robertson, N.N. *see* Harrison, M.J.
Robinson, A.P.C. *see* Tsen, L.C.
Robinson, J., Fernando, R., Sun Wai, W.Y.S. & Reynolds, F. Chemical stability of bupivacaine, lidocaine and epinephrine in pH-adjusted solutions, 853
Robinson, P.C.A. *see* Johnson, R.V.
Robinson, P.N. *see* Nickells, J.S.; Purdie, N.L.
Rockett, M. *see* Cook, T.M.
Roddin, M. & Alexander, D. Mediastinal tamponade, 705
Roddin, M.J. & Dancey, F.M.L.; Poore, D.P. Kinking of epidural catheters, 831
Rodig, G. *see* Arrowsmith, J.E.; Emmens, D.
Romer, H. *see* Devine, A.
Rooney, K.D. Six months acute medicine makes a better doctor, regardless of speciality!, 813
Rosen, M. *see* Bone, I.
Rosenberg, P.H. *see* Tiainen, P.
Ross, J.A.S. *see* King, R.; Thomson, N.
Rousseau, G.F. & Carr, A.S. Reserve nitrous oxide cylinders on anaesthetic machines. A survey of attitudes and equipment at a large DGH, 883
Rowsell, R. *see* Breslin, D.; Gupta, S.
Royle, P. For the times they are a-changing' – or are they?, 1235
Royle, P. *see* Low, J.; Mallinder, P.A.
Runciman, W.B. *see* Kluger, M.T.
Ruschulte, H. *see* Jaeger, K.
Russell, G.N. *see* Wang, J.Y.Y.
Russell, J.A. Continuous flow vs. draw-over apparatus, 1134
Russell, R. *see* Broadbent, C.R.; Carrie, L.E.S.
Ruta, D. *see* Ahmad, K.
Ruther, P. & McCluskey, A.; Pratt, A. Problem with ECG electrode nipples, 916
Ryan, M., Hamilton, V., Bowen, M. & McKenna, P. The role of a high-dependency unit in a regional obstetric hospital, 1155
Ryder, I.G. *see* Walburn, M.B.
Rynn, D. *see* Girdler, N.M.

Sacks, M.D. & Carney, C. Sterilisation of laryngoscopes, 700
Sadhasivam, S. *see* Kathirvel, S.; Madan, R.; Shende, D.
Sallaberry, M. *see* Escarment, J.
Samain, E., Farah, E., Delefosse, D. & Marty, J. End-tidal oxygraphy during pre-oxygenation in patients with severe diffuse emphysema, 841
Samer Abdalla, M. Please, glove up, 306
Sanders, G.M. Pre-operative fasting in the older child, 610
Sanders, G.M. *see* Lee, H.M.; Aziz, E.
Sandhu, G.S. *see* Patel, A.
Sanehi, O. *see* Mallett, S.V.
Sapsed-Byrne, S. *see* Gao, F.
Saravanan, P. *see* Cattell, E.
Sarimurat, N. *see* Bozkurt, P.
Sasaki, R., Hirota, K. & Masuda, A. Prediction of degree of hypomagnesaemia during general anaesthesia, 1137
Sata, T. *see* Uehara, H.
Sawyer, R.J., Richmond, M.N., Hickey, J.D. & Jarratt, J.A. Peripheral nerve injuries associated with anaesthesia, 980
Saxena, A. *see* Kathirvel, S.
Scawn, N.D.A. & Pennefather, S.H. More problems with clamping epidural catheters, 304
Scawn, N.D.A., Dihimis, W. & Pennefather, S.H. Femoral arterial pressure monitoring during cardiopulmonary bypass: a word of caution, 295
Schimetta, W. *see* Sirtl, C.
Schmid, P. *see* Craske, D.A.
Schmidt, C.C. *see* Piper, S.N.
Schurholz, T. *see* Sumpelmann, R.
Schuttler, J. *see* Albrecht, S.
Scott, C. *see* Hughes, P.
Scott, D.H.T. *see* Thompson, S.A.
Scott, J., Lemmon, S. & Gruning, T. Accidental intra-arterial injection via the venous limb of a dual pressure transducer system, 724
Scott, M.J.P. & Leigh, J. Percutaneous tracheostomy in three morbidly obese patients using the 'Blue Rhino^{TM}' technique, 917
Scrutton, M.J.L. & Kinsella, S.M. Continuous or intermittent loss of resistance for identifying the epidural space, 497
Sear, J.W. *see* Neill, F.
Searl, C.P. & Passey, J. An unexpected difficult extubation, 1033
See, A.U.-L. *see* Kam, P.C.A.
Seed, M.J. & Ewan, P.W. Anaphylaxis caused by neostigmine, 574
Seigne, R. Thoughts from abroad, 304
Self, R., Young, P. & Ridley, S. Posture and ventilator-associated pneumonia, 396
Sen, I., Sinha, P.K. & Gombar, S. Difficulty in aspiration of gastric contents – a simple solution, 518
Sethi, A.K. *see* Lawrence, R.A.
Sewell, A. *see* Barrington Blackman, S.
Shaaban Ali, M., Harmer, M., Vaughan, R.S., Dunne, J. & Latto, I.P. Early release pattern of S100 protein as a marker of brain damage after warm cardiopulmonary bypass, 802
Shah, M.K., Sia, A.T.H. & Chong, J.L. The effect of the addition of ropivacaine or bupivacaine upon pruritis induced by intrathecal fentanyl in labour, 1008
Shah, N., Greig, J.R., Stephenson, J.R & Jankowski, S. Microbial contamination of gum-elastic bougies, 1225
Shaikh, L. *see* Hocking, G.
Shankar, H. Spinal anaesthesia in Paget's disease of bone, 698
Sharma, M.L., George, K.A. & Gamble, J.A.S. Anaesthetic implications of endovascular repair of aortocaval fistula, 697
Sheeran, P., Maguire, T. & Browne, G.; Averiss, R.H.R. Mechanical failure of the McCoy laryngoscope during difficult intubation, 184
Shelly, M.P. *see* Johal, B.K.
Shende, D. *see* Madan, R.
Shende, D., Sadhasivam, S. & Madan, R. Effects of peribulbar bupivacaine as an adjunct to general anaesthesia on peri-operative outcome following retinal detachment surgery, 970
Shigematsu, A. *see* Uehara, H.
Shilling, R.S. *see* Aly, E.E.
Shilling, R.S. *see* Anwari, J.S.
Shingu, K. *see* Asai, T.; Asai, T.; Asai, T.; Asai, T.; Asai, T.; Brunner, M.; Dravid, R.M.
Shirley, P. Pain relief post craniotomy: a balanced approach?, 409
Shirley, P.J. The 'correct' application of cricoid pressure, 600
Shmelzle-Lubiecki, B.M., Dravid, R.M. & Young, J.D. Combined spinal–epidural technique for diagnostic lumbar puncture in the intensive care unit, 722
Short, J.A. & Adams, M.G. Magnetic resonance imaging and target-controlled infusions with propofol, 707
Short, J.A. Temporary occlusion of a persistent tracheocutaneous fistula during anaesthesia, 392
Short, J.A., Barr, C.A., Palmer, C.D., Goddard, J.M., Stack, C.G. & Primhak, R.A. Use of diclofenac in children with asthma, 334
Short, S. *see* Urwin, S.
Short, T.G. *see* Morley, A.; Morley, A.P.

© 2000 Blackwell Science Ltd

Shorten, G.D. *see* Sutcliffe, D.G.
Sia, A.T.H. *see* Shah, M.K.; Wong, K.
Sikiotis, L. *see* Andrzejowski, J.
Singh, M. & Cherian, V.T. The tracheal tube 'pull-back' test, 395
Singh, M. & Khan, R.M. Use of a peripheral nerve stimulator for predicting caudal epidural analgesia, 830
Sinha, P.K. *see* Mitra, S.; Sen, I.
Sinha, P.K., Arora, S. & Gombar, K.K. Another teeth protector, 920
Sirtl, C., Laubenthal, H. & Schimetta, W. Persistent pruritis after Pentastarch infusions in intensive care patients, 494
Sizer, J.M. *see* Pelimon, A.
Skelton, V. *see* Perello, A.
Slappendel, R. *see* De Weert, K.
Sleigh, J.W. *see* Andrzejowski, J.
Smith, G. *see* Caranza, R.
Smith, G.B. *see* Taylor, B.L.
Smith, H. *see* Griffiths, R.; Kenny, M.
Smith, I. *see* Dashfield, A.
Smith, I. *see* George, A.
Smith, J.E. & Jackson, A.P.F. Learning fibreoptic endoscopy. Nasotracheal or orotracheal intubations first?, 1072
Smith, J.E. & Mason, R.A. The obstructed airway in head and neck surgery, 291
Smyth, L. *see* McBrien, M.E.
Sodhi, P. *see* Mahalingam, T.G.
Soni, N. *see* Theaker, C.
Spahr-Schopfer, I. *see* Prys-Roberts, C.
Speight, S.E. *see* Wilkes, A.R.
Speirs, M. *see* Yarrow, S.
Speirs, M. & Howells, H.; Levy, D.M. Benzodiazepines at Caesarean section, 192
Speirs, M. & Yarrow, S. Hospital-acquired infections, 722
Spetsaki, M. *see* Georgiou, L.
Spittle, N. *see* Wasson, C.
Splinter, W. *see* Prys-Roberts, C.
Stacey, M.R.W. *see* Bannister, M.
Stacey, R.G.W. *see* Agarwal, S.; Anwari, J.S.; Purdie, N.L.
Stack, C.G. *see* Short, J.A.
Standfield, N.J. *see* Gao, F.
Stedeford, J.C. & Pittman, J.A.L. Von Willebrand's disease and neuroaxial anaesthesia, 1228
Stein, A. *see* Ezri, T.
Stenhouse, C.W. *see* Wright, M.M.
Stephenson, J.R *see* Shah, N.
Stevens, A.J. *see* Wilkes, A.R.; Wilkes, A.R.
Stevens, J. Testing breathing systems, 1027
Stocks, G.M., Hallworth, S.P. & Fernando, R. Evaluation of a spinal needle locking device for use with the combined spinal epidural technique, 1185
Stoneham, M., Howell, S. & Neill, F. Heat loss during induction of anaesthesia for elective aortic surgery, 79
Stoneham, M.D. *see* Knighton, J.D.
Stonell, C. Reinforced laryngeal mask airway severed by biting, 609
Stranix, N.D. & Patel, A. More painful spikes, 412
Streets, C.A. & Davies, P.R.F.; Marshall, H. Should we perform a sniff test?, 509
Strunin, L. Anaesthesia, what's in a name? – Time for change, 941
Sudheer, P.S. & Radhakrishna, S. Importance of direct laryngoscopy before fibreoptic intubations, 292
Sudheer, P.S. *see* Jenkins, C.
Suga, A. *see* Kihara, S.
Sumpelmann, R., Gunther, A. & Zander, R. Haemoconcentration by gelatin-induced acceleration of erythrocyte sedimentation rate, 217
Sumpelmann, R., Schurholz, T., Marx, G. & Zander, R. Protective effects of plasma replacement fluids on erythrocytes exposed to mechanical stress, 976
Sun Wai, W.Y.S. *see* Robinson, J.
Suppini, A. *see* Escarment, J.
Suresh, M. *see* Thomas, A.N.
Sutcliffe, D.G., Murphy, C.M., Maslow, A., Uppington, J. & Shorten, G.D. A comparison of antagonism of rocuronium-induced neuromuscular blockade during sevoflurane and isoflurane anaesthesia, 960
Sutcliffe, N. & McCluskey, A. Simple apparatus for continuous nebulisation of prostacyclin, 405
Sutcliffe, N. *see* Van Heerden, P.V.
Sutherland, A. & Milner, Q.J.W. Aerosol administration into tracheal tubes, 187
Sutherland, P. Use of a carotid arterial line during organ harvest, 1226
Suttner, S.W. *see* Piper, S.N.
Sweeney, B.P. *see* Chimbira, W.; Thomas, R.
Symons, I. Body piercing, 305
Szabo, C. & Habre, W. Gorham syndrome: anaesthetic management, 157
Szmuk, P. *see* Ezri, T.
Sztark, F. *see* Cros, A.M.

Taguchi, N. *see* Kihara, S.
Taha, S. *see* Baraka, A.
Taivainen, T. *see* Prys-Roberts, C.
Taivainen, T., Meakin, G.H., Meretoja, O.A., Wirtavuori, K., Perkins, R.J., Murphy, A.K., Fisher, G.R. & Waiter, M.R.D. The safety and efficacy of cisatracurium 0.15 $mg.kg^{-1}$ during nitrous oxide–opioid anaesthesia in infants and children, 1047
Takahashi, K. & Nosaka, S. Carbon dioxide narcosis caused by midazolam in a patient with myotonic dystrophy, 97
Takenaka, I. *see* Uehara, H.
Talboys, C.A. *see* McLure, H.A.
Tamilselvan, P. *see* Madan, R.
Tan, T.K. The role of anaesthetists as peri-operative physicians, 391
Tarpey, J.J. *see* Wright, J.C.J.
Tatagiba, M. *see* Jaeger, K.
Taylor, B.L., Smith, G.B., Tweeddale, M. & Knighton, J. Intensive care training and non anaesthetists, 912
Taylor, I.R.; Cartwright, D.P. Limitations of the current checklist for anaesthetic machines, 298
Taylor, I.R. Anaesthetic training for trainees in accident and emergency medicine, 302
Taylor, M. *see* Bonner, S.
Taylor, R. *see* McCarroll, C.
Taylor, S.R.J. *see* Khan, O.A.
Tekant, G. *see* Bozkurt, P.
Tewari, P. & Agarwal, A.; Mitchell, N. Spring guidewire sticks in the indwelling catheter during internal jugular vein catheterisation, 832
Tham, E.J. *see* Kluger, M.T.
Tham, L.-S. *see* Ng, H.-P.
Theaker, C., Mannan, M., Ives, N. & Soni, N. Risk factors for pressure sores in the critically ill, 221
Thøgersen, B. & ørding, H. Bispectral index monitoring: comparison of two types of electrode, 242
Thomas, A.N. & Suresh, M. Opiate withdrawal after tramadol and patient-controlled analgesia, 826

© 2000 Blackwell Science Ltd

Thomas, A.N. *see* Thorpe, S.
Thomas, D.I. & Bosch, O. Training box for fibreoptics, 815
Thomas, D.I. Tongue piercing, 729
Thomas, R. & Power, K.J. Interpreting the base deficit, 696
Thomas, R.; Sweeney, B.P. & Chimbra, W. The effect of smoking on postoperative nausea and vomiting, 1032
Thompson, C. The effect of steam sterilisation on fibrelight Macintosh laryngoscopes, 185
Thompson, J.P. *see* Caranza, R.
Thompson, S.A., Scott, D.H.T. & Drummond, G.B. A ghost in the machine?, 913
Thomson, K. Maternal mortality in Africa, 191
Thomson, K.D. Wonderful wonderful Copenhagan?, 413
Thomson, N., Murray, S., Maclennan, F., Ross, J.A.S., Tunstall, M.E., Hamilton, M.P.R. & Bhattacharya, S. A randomised controlled trial of intravenous versus inhalational analgesia during outpatient oocyte recovery, 770
Thorpe, S. & Thomas, A.N. The use of a blood conservation pressure transducer system in critically ill patients, 27
Thwaites, A.J. *see* Dashfield, A.; George, A.
Tiainen, P. & Rosenberg, P.H. Glutathione transferase alpha and inhalation anaesthetics, 931
Titley, G. Inadvertent isolated forearm, 930
Tolhurst-Cleaver, C. The hidden leak, 914
Tollhurst-Cleaver, C. Anaesthetic room pollution, 298
Tomlinson, S. *see* Cozanitis, D.A.
Tordoff, S. *see* Low, J.
Torsney, C. *see* De Lima, J.
Townley, S.A. An unusual epidural-related pressure sore, 193
Traskel, M. *see* De Weert, K.
Tring, J.P. *see* Caranza, R.
Tripathi, M. & Pandey, M. Epidural catheter fixation: subcutaneous tunnelling with a loop to prevent displacement, 1113
Tsai, Y.-C. *see* Lee, P.-C.
Tsaroucha, N. *see* Kostopanagiotou, G.
Tsen, L.C. & Camann, W.; Johnson, R.V., Lyons, G.R., Wilson, R.C. & Robinson, A.P.C. Training in obstetric general anaesthesia: a vanishing art?, 712
Tsutsumi, T. *see* Asai, T.
Tunstall, M.E. *see* Thomson, N.
Turner, A., Lee, J., Mitchell, R., Berman, J., Edge, G. & Fennelly, M. The efficacy of surgically placed epidural catheters for analgesia after posterior spinal surgery, 370
Turner, M. *see* Poulton, B.
Turner, M.A. *see* Baldwin, E.S.
Turner, R. *see* Bajekal, R.R.
Turner, T. *see* Hegarty, M.
Tweeddale, M. *see* Taylor, B.L.
Tyagi, A. *see* Lawrence, R.A.
Tye, J.C. & Chamley, D. Complete power failure, 1133

Ueda, W. *see* Aono, J.
Uehara, H., Takenaka, I., Aoyama, K., Kadoya, T., Sata, T. & Shigematsu, A. A new method of predicting pulmonary capillary wedge pressure: the arterial pressure ratio, 113
ul Haq, A. *see* Khan, F.A.
Umbrain, V., Keeris, J., D'Haese, J., Verborgh, C., Debing, E., Van Den Brande, P. & Camu, F. Isoflurane, desflurane and sevoflurane for carotid endarterectomy, 1052
Upadhyaya, B. *see* Albrecht, S.
Uppington, J. *see* Sutcliffe, D.G.
Urtubia, R.M., Cárcamo, C.R. & Montes, J.M.; Oczenski, W. & Fitzgerald, R.D. Complications following the use of the Combitube, tracheal tube and laryngeal mask airway, 597
Urwin, S., Short, S. & Hunt, P. Percutaneous dilational tracheostomy in the morbidly obese, 393
Urwin, S.C. & Hunt, P. Cerebrospinal fluid filtration in Guillain-Barré syndrome, 503

Valentine, J.M.J. *see* Gupta, S.
Van Den Brande, P. *see* Umbrain, V.
Van Der Horst, N. *see* Purdie, N.L.
van Hasselt, G. The 'Sevophone' for induction of children, 410
van Heerden, P.V.; McCluskey, A. & Sutcliffe, N. Simple apparatus for continuous nebulisation of prostacyclin, 820
Vanner, R.G. *see* Clayton, T.; Cook, T.M.; Hartsilver, E.L.
Vaughan, D.J.A. *see* Brunner, M.; Nickells, J.S.; Purdie, N.L.
Vaughan, D.J.A., Howard, J.M. & Brunner, M.D. Refractory hypotension during carcinoid resection surgey, 927
Vaughan, J. *see* Shaaban, M.
Vaughan, R.S. *see* Aguilera, I.M.; Harding, L.J.E.; Perera, C.N.
Veitch, P.S. *see* Ayorinde, B.T.
Verborgh, C. *see* Umbrain, V.
Verghese, C. *see* Chelliah, S.; Patel, P.
Verheecke, G. Nausea and vomiting: *in somno securitas et commoditas*, 518
Verheecke, G. On the strange effects of fasting times, 935
Viard, L. *see* Paut, O.
Vincent, C. *see* Fenlon, S.
Vincent, J.C. *see* Heames, R.M.
Vipond, A. & de Mello, W. Drugs used in anaesthetic emergencies: current practice and a cost analysis of prefilled syringes, 303
Vohra, S.B.; Kersley, M. Leaking vaporiser, 606
Volikas, I. *see* Anwari, J.S.
Voros, D. *see* Kostopanagiotou, G.

Wace, J. & Kai, M.; Keep, P.J. Anaesthesia for organ donation in the brainstem dead, 590
Waddell, T. *see* Chitkara, N.
Waiter, M.R.D. *see* Taivainen, T.
Walburn, M.B., Cornes, J. & Ryder, I.G. Fibreoptic intubation through a laryngeal mask airway facilitated by a guide wire, 1027
Walker, R. *see* Passey, J.
Walton, S. & Pearce, A. Auditing the application of cricoid pressure, 1028
Wang, C.Y., Ling, L.C., Cardosa, M.S., Wong, A.K.H. & Wong, N.W. Hypoxia during upper gastrointestinal endoscopy with and without sedation and the effect of pre-oxygenation on oxygen saturation, 654
Wang, J.Y.Y., Russell, G.N., Page, R.D., Oo, A. & Pennefather, S.H. A comparison of the effects of desflurane and isoflurane on arterial oxygenation during one-lung ventilation, 167
Ward, A.M. *see* Watkins, J.
Ward, S. *see* Dzendrowskyj, P.
Wasson, C. Another case of 'awkward teeth' producing a difficult intubation, 919
Wasson, C., Spittle, N. & Beavis, S.; Piper, S.N., Maleck, W.H. & Boldt, J. Postanaesthetic shivering, 93
Watanabe, S. *see* Kihara, S.
Watkins, J., Wild, G., Bex, S. & Ward, A.M. A case for co-ordinated investigation and reporting of hypersensitivity-type drug reactions in the UK, 1127
Weber, E. *see* De Weert, K.
Webster, C.S. & Merry, A.F. British syringe label 'standards' are an accident waiting to happen, 618

© 2000 Blackwell Science Ltd

Webster, C.S. Human psychology applies to doctors too, 929
Webster, N.R. *see* Engelhardt, T.
Webster, N.R. The anaesthetist as peri-operative physician, 839
Weidmann, K. *see* Brimacombe, J.
Weiss, M. *see* Biro, P.
Weiss, M., Fischer, J., Neff, T. & Baenziger, O. The effects of syringe plunger design on drug delivery during vertical displacement of syringe pumps, 1094
Weisz, M. *see* Chilvers, R.J.
Wemyss-Holden, S. *see* Ayorinde, B.T.
Westphal, K. *see* Byhahn, C.
Westphal, K. *see* Milligan, K.R.
Wheeler, D.W. *see* Da Fonseca, J.M.G.
White, D.C. *see* Young, D.A.
White, P.F. Succinylcholine-associated postoperative myalgias. not always!, 1037
Whiteside, J. Multiple choice examinations, 100
Wiener, P.C. *see* Perera, C.N.
Wiesz, M. *see* Wilkes, A.R.
Wild, G. *see* Watkins, J.
Wildsmith, J.A.W. *see* Baldwin, E.S.; Kendell, J.; Macmillan, C.S.A.
Wilkes, A.R. & Deakin, C. Risk of infection from laryngeal mask airways, 917
Wilkes, A.R., Benbough, J.E., Speight, S.E. & Harmer, M. The bacterial and viral filtration performance of breathing system filters, 458
Wilkes, A.R., Hall, J.E., Wright, E. & Grundler, S. The effect of humidification and smoking habit on the incidence of adverse airway events during deepening of anaesthesia with desflurane, 685
Wilkes, A.R. & Stevens, A.J. Guidance on the use of breathing system filters, 187
Wilkes, A.R. & Stevens, A.J.; Chilvers, R.I. & Wiesz, M.; Yentis, S.M. Breathing system filters used with Entonox, 817
Wilkinson, D.J. *see* Esler, M.D.
Willatts, S.M. Opportunity knocks, 1147
Willatts, S.M. & Drummond, G. Brainstem death and ventilator trigger settings, 676
Williams, D. *see* Ball, D.R.
Williams, J.M.; Williams, M.; Greenwell, S.K. Stress in trainee anaesthetists, 811
Williams, K.A., Harwood, R.J., Woodall, N.M. & Barker, G.L. Training in fibreoptic intubation, 99
Williams, M. Remifentanil infusions for cardiac and vascular anaesthesia, 408
Williams, M. *see* Williams, J.M.
Williams, S. & Henderson, K. A survey into the number of times laryngeal masks are used, 700
Williamson, S. *see* Kumar, C.M.
Wilson, D.J. *see* Broadbent, C.R.
Wilson, K.E. *see* Girdler, N.M.
Wilson, R.C. *see* Johnson, R.V.; Tsen, L.C.
Wimbush, S.J. & Morgan, G.A. Lessons from history, 617
Winder, J. *see* McBrien, M.E.
Wirtavuori, K. *see* Taivainen, T.
Withers, M.R. *see* Peacock, J.E.
Wong, A.K.H. *see* Wang, C.Y.
Wong, A.S.Y. *see* Morley, A.P.
Wong, K., Chong, J.L., Lo, W.K. & Sia, A.T.H. A comparison of patient-controlled epidural analgesia following gynaecological surgery with and without a background infusion, 212
Wong, N.W. *see* Wang, C.Y.
Wong, S.F. & Chung, F. Succinylcholine-associated postoperative myalgia, 144
Wood, C. & Raghavan, V. Soya bean oil in Diprivan, 1039
Woodall, N.M. *see* O'Hare, D.; Williams, K.A.
Woods, A.W. & Grant, S.; Alexander, R. Remifentanil and intubating conditions, 516
Woods, A.W., Mackirdy, F.N., Livingston, B.M., Norrie, J. & Howie, J.C. Evaluation of predicted and actual length of stay in 22 Scottish intensive care units using the APACHE III system, 1058
Wraith, A. *see* Brett, I.
Wrench, I.J. *see* Kurian, S.M.
Wright, B.M. *see* Peacock, J.E.
Wright, D. *see* Brown, J.R.
Wright, E. *see* Wilkes, A.R.
Wright, J.C.J. & Tarpey, J.J.; Milward, G. A leaking Biovalve intravenous catheter, 605
Wright, M.M., Stenhouse, C.W. & Morgan, R.J.M. Early detection of patients at risk, 391
Wulf, H., Peters, C. & Behnke, H. The pharmacokinetics of caudal ropivacaine 0.2% in children. A study of infants aged less than 1 year and toddlers aged 1–5 years undergoing inguinal hernia repair, 757

Yamamoto, H. *see* Mori, M.
Yanny, W. *see* Makker, R.
Yarrow, S. & Spiers, M. Laryngeal mask airway and the difficult airway, 518
Yarrow, S. *see* Speirs, M.
Yeker, Y. *see* Bozkurt, P.
Yentis, S.M. *see* Bajekal, R.R.; Hegarty, M.; Lucas, D.N.; McLure, H.A.; Pattnaik, S.K.; Wilkes, A.R.
Yoneda, I. *see* Mehta, S.
Young, D.A., Brosnan, S.G. & White, D.C. A semiquantitative analysis of the dynamics of a Goldman-type vaporiser, 557
Young, J.D. *see* Shmelzle-Lubiecki, B.M.
Young, P. *see* Poulton, B.; Self, R.
Young, P.J. & Matta, B.F. Anaesthesia for organ donation in the brainstem dead – why bother?, 105
Yull, D.N., Barkshire, K.F. & Dexter, T. Pretreatment with ketorolac and venous occlusion to reduce pain on injection of propofol, 284
Yum, M.K. *see* Kim, H.S.

Zander, R. *see* Sumpelmann, R.; Sumpelmann, R.
Zannoni, C. *see* Ceron, A.
Zoeggeler, A. *see* Hartmann, T.
Zuck, D. Date-expired nitrous oxide cylinders, 1214
Zuck, D. Dystrophia myotonica, 413
Zwaal, J.W. *see* Gupta, S.; Gupta, S.
Zych, Z. Patient-controlled propofol infusion sedation, 933

© 2000 Blackwell Science Ltd

Keyword index

Abdominal aortic aneurysm, rupture, 432
Acute phase response, radical prostatectomy, 131
Acute respiratory distress, 678
Airway, 427, 478, 1099
Airway, intubation, extubation, 380
Airway, obstruction, 485, 682
Airway, reflexes, 367
Alcohol, 1189
Anaesthesia, cardiovascular, 641
Anaesthesia, complications, 1173
Anaesthesia, complications, hypothermia, 251
Anaesthesia, cricoid pressure, 208, 263, 648
Anaesthesia, epidural, 853
Anaesthesia, epidural, spinal, 1185
Anaesthesia, equipment, nitrous oxide cylinders, 883
Anaesthesia, gaseous induction, 475
Anaesthesia, general, 74, 523
Anaesthesia, general, day case, 367
Anaesthesia, general, ICU, 344
Anaesthesia, general, obstetric, 690
Anaesthesia, general, sympathetic response, 545
Anaesthesia, inhalational, 1000
Anaesthesia, intravenous, propofol, remifentanil, 472
Anaesthesia, magnetic resonance imaging, 737
Anaesthesia, obstetric, 421, 1155, 1168
Anaesthesia, obstetric, training, 179
Anaesthesia, ophthalmic, 750
Anaesthesia, outpatient, 576
Anaesthesia, paediatric, 450, 469, 528, 581, 774, 806, 870, 1047
Anaesthesia, paediatric, ophthalmic, 847
Anaesthesia, postoperative complications, 540
Anaesthesia, recovery, 877
Anaesthesia, regional, combined spinal–epidural, 42
Anaesthesia, regional, epidural, spinal, 17
Anaesthesia, spinal, 1020
Anaesthesia, spinal, 899
Anaesthesia, target-controlled, 255
Anaesthesia, technique, one-lung anaesthesia, 10
Anaesthesia, techniques, bronchoscopy, fibreoptic, 455
Anaesthesia, techniques, closed-loop control, 953
Anaesthesia, techniques, general, 481
Anaesthesia, techniques, regional, 481
Anaesthesia, volatile, sevoflurane, 475
Anaesthetic agents, desflurane, sevoflurane, isoflurane, 1052
Anaesthetic agents, isoflurane, sevoflurane, 960
Anaesthetic costs, regional, general, 1106
Anaesthetic technique, pre-oxygenation, 841
Anaesthetic techniques, epidural, caudal, 757, 806
Anaesthetic techniques, peribulbar, 750
Anaesthetic techniques, regional, brachial plexus, 798
Anaesthetic techniques, regional, epidural, spinal, 1168
Anaesthetic techniques, regional, peribulbar, 1003
Anaesthetic techniques, regional, spinal, subarachnoid, epidural, 1122
Anaesthetic, inhaled, sevoflurane, 634
Anaesthetic, local, bupivacaine, ropivacaine, 1008
Anaesthetic, local, lidocaine, 247, 260
Anaesthetic, local, stability, 853
Anaesthetic, paediatric, 682
Anaesthetic, volatile, 557
Anaesthetics, gases, nitrous oxide, 153
Anaesthetics, halothane, 528
Anaesthetics, inhalation, sevoflurane, 242
Anaesthetics, inhalational, isoflurane, 870
Anaesthetics, intravenous, ketamine, 806
Anaesthetics, intravenous, propofol, 242, 284, 327, 666, 774, 1066
Anaesthetics, intravenous, propofol, alfentanil, 953
Anaesthetics, intravenous, remifentanil, 870
Anaesthetics, local, bupivacaine, 870, 1116
Anaesthetics, local, bupivacaine, lidocaine, 750
Anaesthetics, local, bupivacaine, lidocaine, ropivacaine, 1003
Anaesthetics, local, lidocaine, prilocaine, 1020
Anaesthetics, local, ropivacaine, 757, 806
Anaesthetics, paediatric, 798
Anaesthetics, spinal, epidural, 864
Anaesthetics, volatile, 793
Anaesthetics, volatile, desflurane, isoflurane, 167
Anaesthetics, volatile, halothane, isoflurane, 904
Anaesthetics, volatile, isoflurane, 953
Anaesthetics, volatile, sevoflurane, 774, 791
Anaesthetist, performance, training, 744
Analgesia, 770
Analgesia, epidural, opiate, 659
Analgesia, obstetric, 744
Analgesia, obstetric, combined spinal–epidural, 1116
Analgesia, patient controlled, 212
Analgesia, patient controlled, postoperative, 532
Analgesia, postoperative, 32, 334, 371, 806, 1208
Analgesia, postoperative, paediatric, 1202
Analgesia, techniques, epidural, 371
Analgesic drugs, fentanyl, 323
Analgesic techniques, epidural, 212, 744
Analgesics, alfentanil, 774, 1159
Analgesics, diamorphine, morphine, 1208
Analgesics, diclofenac, 334
Analgesics, fentanyl, buprenorphine, morphine, piritramide, 315
Analgesics, fentanyl, transdermal, 1202
Analgesics, ketorolac, 284
Analgesics, non-steroidal anti-inflammatory drugs, 442
Analgesics, opioid, fentanyl, 475
Analgesics, opioid, remifentanil, 965
Analysers, point of care, intensive care, 65
Anaphylaxis, neostigmine, 574
Anatagonists, neostigmine, 859
Anatomy, cricoid cartilage, 208
Anatomy, cricoid cartilage, pressure, 263
Anatomy, vertebral column, 1122
Apoptosis, 1081

Blood, 388
Blood pressure, Valsalva manoeuvre, 113
Blood, haemoglobin concentration, 65
Brain, cerebral blood flow, 528
Brainstem death, inspiratory effort, 676

© 2000 Blackwell Science Ltd

Burns, pain, 1159

Calcium, physiology, anaesthesia, drug reactions, reperfusion injuries, 779
Cannulation, venous, 284
Catecholamines, epinephrine, 761
Cell death, morphology, mechanisms, clinical implications, 1081
Central nervous system, complications, 225
Cerebral palsy, 32
Circulation, shunt, 167
Colloids, hydroxyethyl starch, modified fluid gelatin, albumin, 976
Complications, arrythmia, bradycardia, 847
Complications, arrythmia, death, hypertension, myocardial infarction, 641
Complications, aspiration, 421, 478
Complications, asthma, 334
Complications, cardiovascular, respiratory, 10
Complications, cross-infection, 153, 176
Complications, difficult airway, lingual thyroid, 1103
Complications, epilepsy, psychogenic seizures, 74
Complications, failed tracheal intubation, 690
Complications, Forestier's disease, diffuse idiopathic skeletal hyperostosis, 70
Complications, Gorham syndrome, disappearing bone disease, pleural effusions, 157
Complications, hypoxia, 654
Complications, hypoxia, airway obstruction, coughing, sore throat, dysphagia, 338
Complications, infections, 388
Complications, infective contamination, 173
Complications, myopathy, myotubular, centronuclear, 471
Complications, neurological, 802, 980
Complications, pemphigus vulgaris, 160
Complications, pharyngeal abscess, atlanto-axial subluxation, 469
Complications, pruritus, 1008
Complications, respiratory failure, glycinothorax, 155
Complications, Romano–Ward syndrome, long QT syndrome, ventricular fibrillation, ventricular tachycardia, 362
Complications, Wegener's granulomatosis, 682
Controlled hypotension, sodium nitroprusside, 131
Cost implications, 883
Critical care, sequential organ dysfunction scoring, standards of care, 1149
Critical illness, arterial catheterisation, bacterial colonisation, 27
Critically ill, adult, 221
Cyclo-oxygenase, 442
Cytokines, 899

Drug administration, intranasal, diamorphine, 532
Drugs, bupivacaine, ketamine, 899

Education, competency-based, residents, 1076
Education, residents, 1072
Electrolytes, sodium, potassium, 65
Endarectomy, carotid, 764
Epidural catheter, fixation, subcutaneous tunnelling, 1113
Equipment, airway, 485
Equipment, airway, Guedel, 455
Equipment, airway, laryngeal mask, 992
Equipment, airway, masks, 478
Equipment, automatic implantable cardioverter defibrillator, 362
Equipment, bougie, 466
Equipment, breathing filters, 153
Equipment, breathing systems, 450
Equipment, breathing systems, breathing filters, 176
Equipment, brochoscope, fibreoptic, 269, 1072, 1103
Equipment, fibreoptic laryngoscope, tracheal tubes, intubating laryngeal mask, 358
Equipment, Goldman vaporiser, 557
Equipment, heat and moisture exchange filters, 458
Equipment, in-circle vaporiser, closed circle, 791
Equipment, infusion systems, antisyphon devices, 355
Equipment, intubating laryngeal mask, 82
Equipment, intubating laryngeal mask, fibreoptic brochoscope, infusion systems, 70
Equipment, intubating laryngeal mask, lightwand, 427
Equipment, intubation stylet, 886
Equipment, laryngeal mask airway, 1179
Equipment, laryngeal mask airway, tubes, tracheal, 388
Equipment, laryngoscope, Flexiblade, 890
Equipment, microwave, 251
Equipment, oesophageal Doppler monitor, 1052
Equipment, plastic, 793
Equipment, surgical face masks, 173
Equipment, tourniquets, 21
Equipment, tubes, oesophageal–tracheal Combitube, 670
Equipment, warming devices, 79
Erythrocyte, mechanical haemolysis, 976
Evoked potentials, auditory, 523

Fluids, intravenous, albumin, hydroxyethyl starch, modified gelatin, normal saline, 217

General anaesthesia, desflurane, adverse events, humidification, smoking habit, 682
General anaesthesia, volatile anaesthetics, sevoflurane, 965

Haemodynamics, 1052
Haemphilia, 678
Heart, 627
Heart, haemodynamics, preload, 113
Heart, ischaemia, 641
Heat and moisture exchangers, anaesthetic breathing systems, inhalational induction, paediatric anaesthesia, 571
History, pancuronium, vecuronium, 551
Hypothermia, temperature, effects, 79

ICU, mortality, 432
Infection, bacterial, viral, 458
Infection, human immunodeficiency virus, 344
Infection, sterilisation, 466
Injections, subcutaneous, jet, 247
Intensive care unit, length of stay, 1058
Intensive care, high-dependency unit, 1155
Intensive care, obstetric, 1168
Intensive care, outcome prediction, 107
Intubation, laryngeal, difficulty, 274
Intubation, tracheal, 358, 421, 485, 774
Intubation, tracheal, difficult, 82, 469, 886, 890
Intubation, tracheal, technique, 670
Intubation, tracheal, training, 1072
Investigations, haematological, erythrocyte sedimentation rate, 217

Labour, analgesia, 17, 1168
Laparoscopic cholecystectomy, multimodal analgesia, 118
Laryngeal mask airway, 323
Laryngeal mask airway, cuff pressure, 338
Larynx, cricoid pressure, 163

© 2000 Blackwell Science Ltd

Local anaesthesia, peribulbar block, 970
Local anaesthetic, bupivacaine, 970
Local anaesthetics, bupivacaine, 118
Lung, asthma, 334

Measurement techniques, airway reflexes, 367
Measurement techniques, Doppler, ultrasound, 528
Measurement techniques, magnetic resonance imaging, 1122
Measurement techniques, nuclear magnetic resonance, 737
Measurement, cardiovascular system, blood pressure, 385
Measurement, techniques, bispectral index, 953
Medical staff, anaesthetists, 946
Memory, implicit, 634
Menstrual cycle, 1164
Metabolism, 1189
Misuse, alcohol, opioids, 946
Monitor, biophysical, sccadic eye movement, 877
Monitoring, bispectral analysis, bispectral index, electroencephalogram, 242
Monitoring, bispectral index, 255, 634, 761
Monitoring, cardiovascular system, oesophageal Doppler, 280
Monitoring, electroencephalogram, 864
Monitoring, end-tidal oxygen, 841
Monitoring, evoked potentials, 225
Monitoring, neuromuscular function, 472
Monitoring, pulmonary capillary wedge pressure, 113
Monitoring, pulse oximetry, 654
Multiple organ dysfuntion syndrome, 1081

Nerve tissue protein S-100, 764
Nerve, damage, 980
Neuromuscular blocking agent, rocuronium, 960
Neuromuscular blocking drugs, mivacurium, 323
Neuromuscular relaxants, cisatracurium, 1047
Neuromuscular relaxants, pancuronium, vecuronium, 551
Neuromuscular relaxants, rapacuronium, succinylcholine, 859
Neuromuscular relaxants, succinylcholine, 774
Neurone-specific enolase, 764
Neurosurgery, craniotomy, 255

Ophthalmology, glaucoma, intra-ocular pressure, 380
Opioid, alfentanil, 1116
Opioids, spinal, fentanyl, 1008
Oxygen, delivery systems, 455
Oxygen, delivery systems, measurement, 992

Pain, chronic, 374
Pain, measurement, 21
Pain, postoperative, 212
Patient assessment, pre-operative, 1173
Pharmacodynamics, 859, 1047
Pharmacokinetics, 757
Pharmacology, amrinone, 627
Pharmacology, clonidine, 269
Population, elderly, 107
Postoperative complications, nausea, vomiting, 1164
Postoperative nausea and vomiting, smoking, enzyme induction, 540
Pregnancy, 894
Pre-operative assessment, 576
Pressure sores, decubitus ulcer, 221
Procedures, oocyte recovery, 770
Procedures, venepuncture, 260
Prostaglandins, physiology, pharmacology, 442

Protein, S100, 802
Psychological responses, 374

Recovery, 1052
Reflex, oculocardiac, 847
Reflexes, cremasteric, 587
Regional anaesthesia, spinal, 587
Remifentanil, intra-operative, 315
Risk factors, risk assessment, 221

Safety, 883
Scoring systems, APACHE, 1058
Sedation, 666
Sedation, 877
Sedation, patient-controlled, 327
Sevoflurane, gaseous induction, 545
Spinal opioids, morphine, 118
Splanchnic blood flow, gastric tonometry, 659
Staffing, high-dependency unit, 137
Stress response, 5
Subarachnoid space, 1185
Succinylcholine, myalgia, fasciculations, neuromuscular blocker, 144
Surgery, 641
Surgery, abdominal, aortic, 79
Surgery, cardiovascular, 627, 802
Surgery, carotid endarectomy, 481
Surgery, dental, 327, 581
Surgery, gastrointestinal endoscopy, 654
Surgery, gynaecological, 212
Surgery, laparoscopy, 280, 670
Surgery, laparoscopy, paediatric, 5
Surgery, laparotomy, 160
Surgery, ophthalmological, 750
Surgery, orthopaedic, 798
Surgery, paediatric, 757, 806
Surgery, spinal, 371
Surgery, thoracoscopy, 10
Surgery, urological, 155
Surgery, vascular, carotid endarectomy, 1052
Survival, long-term, 432
Sympathetic nervous system, alpha adrenergic agonists, 269
Sympathomimetics, ephedrine, etilefrine, ageing, 523
Syndrome, Guillain Barré, 894
Syringe, pump, plunger, hydrostatic pressure, siphoning, 1094

Thermal convection, Bénard–Marangoni, Raleigh–Bénard, 557
Toxicity, cyanide, 1189
Tracheostomy, percutaneous dilatational, tracheal stenosis, 125
Tracheostomy, percutaneous, translaryngeal, 678
Training, assessment, logbooks, 1076
Transfusion, blood, 27
Transfusion, guidelines, audit, 1013

Ultrasound, guided cannulation, 1198

Vaporisers, Oxford Miniature, 1000
Vascular access, femoral vessels, 1198
Veins, cannulation, 247
Ventilation, intermittent positive pressure, 1099
Ventilation, one-lung, 167
Ventilator settings, trigger sensitivity, 676
Ventilators, mechanical, 1000
Vomiting, nausea, incidence, 163

© 2000 Blackwell Science Ltd